



The Effectiveness of Reality Therapy Concepts on Self-esteem of the Elderly in the Center of Aramesh in Parsabad

Seyyed Jalal Younesi¹, Kazem Khazan^{1*}, Setareh Jani² and Zahra Mahdizadeh³

¹Department of Counseling, University of Social Welfare and Rehabilitation Sciences, Tehran, Iran.

²Department of Clinical Psychology, University of Tabriz, Iran.

³Department of Counseling, University of Abhar, Zanjan, Iran.

Authors' contributions

This work was carried out in collaboration between all authors. Authors SJY and KK designed the study, performed the statistical analysis, wrote and performed the protocol and wrote the first draft of the manuscript. Author SJ managed the analyses of the study. Author ZM managed the literature searches. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JAMPS/2017/28297

Editor(s):

(1) Xiao-Xin Yan, Department of Anatomy & Neurobiology, Central South University Xiangya School of Medicine (CSU-XYSM), Changsha, Hunan 410013, China.

(2) Jinyong Peng, College of Pharmacy, Dalian Medical University, Dalian, China.

Reviewers:

(1) Hiroshi Sakuma, Kurihama Medical and Addiction Center, Japan.

(2) P. Jayanthi, The Tamilnadu Dr.M.G.R. Medical University, Chennai, India.

(3) Takashi Ikeno, National Center of Neurology and Psychiatry, Japan.

(4) Tanjir Rashid Soron, Rabeya Medical College, Dhaka, Bangladesh.

Complete Peer review History: <http://www.sciencedomain.org/review-history/17877>

Original Research Article

Received 13th July 2016
Accepted 1st February 2017
Published 17th February 2017

ABSTRACT

Aim: This research was conducted to study the effectiveness of reality therapy concepts on self-esteem of the elderly.

Materials and Methods: The present study was semi-experimental and its design was pretest-posttest with a control group. The statistical population consisted of elderly men at the Center of Aramesh in Parsabad. Using the inclusion and exclusion criteria, 50 elderly men were evaluated, and among them 30 persons were identified to enter this study, and they were randomly assigned into two groups: Experimental and control group. Self-esteem scale was performed to both experimental and control groups. To collect data, Rosenberg self-esteem questionnaire was used.

*Corresponding author: E-mail: kazemkhazan1366@gmail.com;

Reality therapy training sessions for two intervention groups were held twice a week during eight sessions, and there was follow-up for a month. Data were analyzed using variance analysis with repeated measures.

Findings: The results showed that the difference between self-esteem mean scores of two groups is significant, and reality therapy was to increase self-esteem of the elderly significantly ($p < 5\%$). Also, comparison between mean scores of pretest and posttest in both groups showed increasing self-esteem scores in posttest period was a significant difference.

Conclusion: The results of this research revealed that reality therapy is useful in increasing self-esteem among the elderly. The implementation of such group sessions are recommended in the residences and retirement centers of the elderly.

Keywords: Reality therapy; self-esteem; the elderly.

1. INTRODUCTION

Aging is part of the biological process that occurs in all living organisms including human. Probably, from an anthropological point of view, surviving to middle-age is the most common situation among human societies before the late twentieth century and early twenty-first century. Also, in Iran some official statistics show that the elderly make up more than seven percent of the population [1]. Increase in the elderly population occurs due to decline of birth rate, improvement of health condition and increase of life expectancy. The importance of paying attention to the number of elderly in Iran lies in the fact that the Iranian elderly confront with physical and mental health related problems [2]. One of the important variable that affects the elderly population and their mental health level is self-esteem of this vulnerable group [3].

People who feel good about themselves, leave behind their conflicts easily, and stand up against negative pressures, and they can enjoy life well. Self-esteem is the major determinants in forming behavior and emotional patterns and to indicate individual's attitude towards himself/herself and outside world [4]. Some studies indicate that people with high self-esteem have features such as mental maturity, stability, realism, comfort, high ability to tolerate frustration and failure, while people with low self-esteem do not have such characteristics [5]. So, low self-esteem causes many psychological problems including depression, anxiety, apathy, and solitude [6].

One of the most common mental problems of the elderly is feeling helplessness that leads to decreased toleration of unwanted stimuli, reducing performance in environmental conditions, depression, increasing stress level, maladaptive coping responses, low self-esteem and even death [7].

Thus, according to the importance of self-esteem and its key role in mental health and that the number of the performed interventions in this area has been limited; it is necessary to use efficient and favorable treatment to increase self-esteem. According to the presented ideas and conducted studies in recent decades, several therapeutic approaches have also noticed self-esteem and strategies for increasing it. Reality therapy is a collection of techniques, methods, and tools that help people to move from dysfunctional behaviors, destructive choices to constructive ones, and most importantly to move from unhappy and displeasing lifestyle to a pleased one [8]. In this method of treatment the emphasis is on confronting reality, accepting responsibility, recognizing basic needs, moral judgments about right or wrong behavior, focusing on here and now, internal control and thus achieving success identity which is directly related to self-esteem and self-confidence [8]. Kim (2009) in a research carried out on hospitalized schizophrenic patients in one of the mental hospitals in South Korea concluded that reality therapy is to make positive changes in the components of internal control, self-esteem, and coping with stress [9]. Glasser believes that in every communication of every kind and nature, a person can change himself and that means internal control. Therefore, to achieve success we should leave the external trait (control) and instead we should pay attention to behavior according to the choice theory training. Glasser believes that responsibility is the very choice and states that everyone can have a sense of responsibility, but no one can say honestly when choosing, does not have any responsibility to what s/he has selected. If we do not accept responsibility for what we do to satisfy our needs, we may become a dangerous creature.

Several studies have shown the effectiveness of reality therapy on a variety of components,

problems and psychological disorders such as adult depression [10], flexibility of women [11]; increasing the students' happiness [12]; increasing happiness elderly [13]; happiness and mental health [14]; general health [15]; life expectancy and anxiety [16]; self-esteem [17], and other relevant studies. Reality therapy is based on the choice theory. Furthermore, studies by [13]. Also, studies of Haniman (1990) [18], [19] on drug addicts and prisoners have shown that regarding participants' perception and self-esteem, there has been a significant difference between pretest and posttest scores after receiving reality therapy. Also, various studies have revealed that concepts of reality therapy training reduces anxiety and causes increase in people's responsibility and self-esteem [20]. And also, [21] has referred to the relationship between self-esteem and source of internal control in his research, and he came to conclusion that people whose source of control is internal have higher self-esteem.

According to what was discussed above, interventions were carried out with reality therapy approach that has been effective on a variety of components, psychological problems and disorders as a group and individually. This study also seeks to answer this question: can concepts of reality therapy training lead to increased self-esteem of the elderly?

2. METHODS

The present study used a quasi-experimental design with a pre-test and post-test and a control group. First, the researcher obtained letter of introduction, visited "Aramesh Mental Health Center management in Parsabad County", and explained the research purposes, then according to the entrance criterion for participants, the researcher asked the management to introduce 50 elderly men of the center to him.

Entrance criteria to the research include: 1. 60 age and above; 2. Reading and writing literacy for completing questionnaire; 3. Verbal relation ability; lack of using psychotropic drugs; 5. Written content for participating in the research; 6. Mental vigilance and freedom from psychological problems (according to medical recordings and surveys conducted by a psychologist and considering the records of cases provided by the center psychologist); exclusion criteria from the research also include: 1. Simultaneous participation in another psychotherapy; 2. Absence more than two sessions. 3. In order to

observe ethical issues: the voluntary participation and informed consent of members in training sessions, keeping confidentiality of the information and the names of people in the present study were considered.

Using random sampling, 30 subjects were selected as a sample of the present study. In order to have parallel subjects in both control and experimental groups, random assignment was used in both groups and one group was randomly selected for intervention [22]. Before therapy sessions, Rosenberg Self-Esteem Scale questionnaire were given to the participants of both groups so that if possible, to be completed and answered by the researcher's aid.

Rosenberg questionnaire was used to measure dependent variable. Rosenberg criteria is a standard criteria that includes 10 items or statements by which real feeling of subjects about each of statements is determined by four scales of completely agree, agree, disagree, and completely disagree each represented by scores of 1 to 4. Total score is obtained by the sum of scores given for 10 items. Scores of 10 and 40 show the least and the most self-esteem, respectively. Rosenberg Self-Esteem Scale is a reliable questionnaire. The reliability and validity of this scale has been confirmed among freshmen at Ahvaz Shahid Chamran University. Shahbazzadegan et al. reported reliability of 0.85 for this questionnaire among the elderly [23]. The questionnaires were completed anonymously, through coding and verbal interview with selected elders. In order to analyze data SPSS program (version 20) was used.

3. PROCEDURE

In the discussed design, subjects were randomly selected and were assigned into two groups in the same way. Before implementing dependent variable (x), selected subjects in both groups were assessed using Rosenberg Self-Esteem Scale (pre-test). The role of pre-test is to control variance (equality of variance) as a result it determines whether the created change derives from implementation of experimental variable or it is due to other factors. Then experimental group received treatment of dependent variable (training concepts of reality therapy) after finishing training, subjects' self-esteem was measured using the same instrument. Finally, after finishing reality training, post-test was administered after one month. Then results were analyzed using variance analysis of statistics test with repeated measures.

Table 1. Intervention program of reality therapy concepts with separation of sessions [Glasser, 2008]

Sessions	Details of sessions
First session	Members acquaintance with each other and regulations of training period and statement of purposes of sessions, overall familiarity with self-esteem learning and selection theory, necessity of members communication with each other in an effective way.
Second session	They talked about self-esteem and principles of reality therapy such as external control psychology and also fundamental component that is introduction of basic needs and its influence on self-esteem; then chaplet technique was used to introduce five basic needs (love and belonging permanence, power, freedom and entertainment) and its relevant components and training how to separate basic needs to create balance to meet them. We used five chaplets with different color which relate to a specific need.
Third session	Explanations offered on how self-esteem can be obtained and also perception of self-esteem concept and its components and influential factors on them are explained and a task was given to the members of group to think about their own problems and they were asked to say what problems have bring about their low self-esteem and the use of bladder technique to help visitors to concentrate on feelings as a part of behavior generality and attempt to control them.
Fourth session	Using mirror technique to encourage visitors to create pleasing emotional states, paying attention to physiological dimension of behavior and offering explanations about living at the present moment and believing that every mistake that has happened in the past is not related to the present
Fifth session	Training generality of behavior and balance (equilibrium) concept in four components of behavior (performing, thinking, feeling, physiology) to subjects using broken chair technique.
Sixth session	Through reviewing previous discussions of wallet technique to train qualitative world concept and how to control needs through identification of pictures related to qualitative world (personal album) and suggesting explanations about the fact that in this community we are not forced to do something that we don't like according to others' wish.
Seventh session	Backpack technique was used to encourage subjects in selecting responsible behaviors out of behavior store and to have pleasing feelings. Explanations on responsibility together with some examples have suggested and relation of this concept with self-esteem was discussed.
Eighth session	Along with representing explanations about effective relationship and its relation to self-esteem, we briefly summarized all sessions and we addressed training on creating relationship between self-esteem and existing concepts in selection theory in which participants' ideas were included too. Then designs for keeping intervention sessions purposes have been suggested and finally we addressed obtaining feedback from participants about intervention design.

4. FINDINGS

In Table 2 according to obtained t-value ($t=1.17$) and confidence level of $.25$, there is no significance difference in the age of intervention and control group.

As shown by Table 3, mean difference of pre-test in intervention and control group was 3.2 and their standard deviation difference was 7.85, error rate value in $.5$ sig. level was $.35$ indicating significant difference exists between two groups.

With regard to the lack of significant mean difference between intervention and control groups in the pre-test of self-esteem, it is shown that statistically significance difference does not exist between experimental and control groups in the pre-test.

Results on comparison of three times measures indicate that there was significant increase in post test measure of experimental group and they had relative stability during one month follow-up measurement. Experimental group

revealed higher increase in post-test measurement (m=36.33) and in follow-up measure they had higher score as well (total mean=35.83).

According to significance of F table, it is shown that there is a significance difference between experimental and control groups in post-test and follow-up. As it is observed in Table 5, the null hypothesis is rejected and contrary hypothesis is accepted. On the other hand, reality therapy has significant influence on the elderly' self-esteem in experimental group rather than control group (f=. /57 and sig=. /001). Represented results in Table 5 also illustrates that in follow-up step reality therapy has significantly increased the elderly self-esteem of intervention group in post test and follow-up test. Thus, according to significance of follow-up, it can be said that the effect of reality therapy is lasting on self-esteem of the elderly.

In Graph 1 it is indicated that experimental group self-esteem has increased in post test and it has also maintained this increase in the follow-up measure. But there was no increase in post test and follow-up test in control group. Therefore concepts of reality therapy training in experimental group can influence the elders' self-esteem. Therefore, reality therapy has a lasting positive effect on self-esteem of the elderly.

5. DISCUSSION

The aim of this study was to examine the effectiveness of concepts of reality therapy training on self-esteem of the elderly. The results of the present study show that training concepts of reality therapy is effective among the elderly.

The findings of this study are aligned with the results of studies of [24,25,26,8,9,17 and 13]. On

Table 2. Independent sample t-test to compare both groups in terms of participants' age

	Group	M	SD	T statistic	Fd	Error rate sig
Age	Intervention	67	6.61	1.17	28	0.25
	Control	63	6.43			

Table 3. Independent sample t-test compare pre-test scores of two groups


	Group	M	SD	t-statistic	Df	Error ratesig
Pre-test Score	Intervention	26.75	12.26	0.95	28	0.35
	Control	24.35	4.41			

Table 4. Mean and standard deviation in three times measures among intervention and control group

Group	M	SD	N
Pre-test			
Control	32.06	12.26	15
Experiment	35.26	4.41	15
Total	38.66	9.20	30
Post test			
Control	30.93	11.22	15
Experiment	46.73	5.72	15
Total	46.83	10.50	30
Follow-up			
Control	29.53	11.81	15
Experiment	45.13	7.99	15
Total	45.83	11.44	30

Table 5. Results of variance analysis with repeated measures

Source	Sum squares	Df	Sum squares	F score	Significance level	Size effect
Group	131.41	1	131.41	57.57	.000	0.76
Error	55.06	28	19.06			



Graph 1. Comparison of two groups of intervention and control in three measures

the other hand, [17] showed that reality therapy is effective on increasing self-esteem of students in a group way. As it has been revealed in different studies, in explaining the mentioned findings can be noted that self-esteem is highly correlated with components such as responsibility and internal control. If people think about themselves positively and realistically, they can experience feeling worthy. One of the reasons that caused scores of experimental group increase after 8 sessions is that during these sessions based on reality therapy approach clients were trained to identify their basic needs and meet them properly because satisfying basic needs in a proper way leads to increase in self-esteem. Thus, regarding what was already mentioned and based on previous studies, the effectiveness of the concepts of reality therapy on increasing self-esteem of the elderly can be achieved. Also, there is a consistency between results of this study and mentioned researches, and the world of quality that is the image people have of themselves is influential on their self-esteem. If people have a positive image of themselves and their images of themselves are positive in the world of quality, their self-esteem will be higher. [24] conducted a research on satisfying students' needs and found that satisfying basic needs of experimental group increased after counseling sessions of reality therapy and training choice theory [5]. And finally, Lopez and Kerr's research [27] has shown that group training can have significant impact on developing and increasing the sense of optimism, happiness and hope of the elderly [28]. The results of this study show that the elderly participating in group sessions compared to when they had not participated in the sessions, they feel more happiness. So, one of the reasons

that has caused increase scores of experimental group after the intervention sessions is that during these sessions based on the theory of reality therapy an attempt was made clients change their negative world of quality about themselves to a positive one. Also, the clients are trained to meet their basic needs properly, because meeting basic needs in a proper way results in increased self-esteem.

Glasser's idea is a desirable and useful idea on how to avoid the controlled orientation and help people to find positive choices and options [27]. Also, Glasser believes that sense of responsibility and control and appropriate satisfying needs, especially the need for love and belonging that are met properly in the group lead to improvement in mental health [28]. «Langer» and «Robin» state that control and responsibility and the feeling that we can do our works ourselves cause improvement in mental health in the elderly. Regarding the mentioned cases, it seems that training concepts of reality therapy could increase sense of control and responsibility in the elderly and to some extent it is effective on proper satisfying their needs; therefore, it seems logical that this method can be used to promote self-esteem and mental health of the elderly.

6. CONCLUSION

Iran population is going towards the elderly. Considering the importance of oldness and its psychological issues and according to the results of the present study and the effect of the concepts of reality therapy on the elderly, a series of skills and its teachable abilities can be used to help solving psychological problems and

increasing self-esteem among the elderly. Therefore, it is suggested that in future research, the effectiveness of this type of training to be evaluated and measured on the other mental components of the elderly.

CONSENT

It is not applicable.

ETHICAL APPROVAL

It is not applicable.

ACKNOWLEDGEMENTS

The authors of this article are extremely grateful and thankful to Dr. Shahriyar Dargahi and Zahra Hamrazade all the elderly and their families who helped us in conducting this study.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Jafari E, Najafi M, Sohrabi F, Dehshiri GR, Soleymani E, Heshmati R. Life satisfaction, spirituality well-being and hope in cancer patients. *Procedia-Social and Behavioral Sciences*. 2010;5:1362-6.
2. Chi I, Boey KW. Hong Kong validation of measuring instruments of mental health status of the elderly. *Clinical Gerontologist*. 1993;13(4):35-51.
3. Hojjati H, Sharifnia H, Hassanalipour S, Akhonzadeh G, Asayesh H. The effect of reminiscence on the amount of group self-esteem and life satisfaction of the elderly. *Journal of Urmia Nursing And Midwifery Faculty*. 2011;9(5):0-0.
4. Larkin R, Thyer BA. Evaluating cognitive-behavioral group counseling to improve elementary school students' self-esteem, self-control, and classroom behavior. *Behavioral Interventions*. 1999;14(3):147-61.
5. Sardar Abadi M. Study of the effectiveness of cognitive-behavioral therapy and group reality therapy on bad-parented or parentless teenagers (Doctoral dissertation, MA. Dissertation. Mashhad: Ferdowsi University of Mashhad, College of educational sciences and psychology). 2005:25-35. (Persian).
6. Pinguart M, Sörensen S. Influences of socioeconomic status, social network, and competence on subjective well-being in later life: A meta-analysis. *Psychol Aging*. 2000;15(2):187-224.
7. Matteson MA, McConnell ES. *Gerontological nursing: Concepts and practice*. Saunders Limited; 1988.
8. Abbott WJ. The effect of reality therapy-based group counseling on the self-esteem of learning disabled sixth, seventh, and eighth graders (Doctoral dissertation, University of Virginia); 1983.
9. Kim J. Effectiveness of reality therapy program for schizophrenic patients. *Taehan Kanho Hakhoe Chi*. 2005;35(8):1485-92.
10. Bhargava R. The use of reality therapy with a depressed deaf adult. *Clinical Case Studies*. 2013;12(5):388-396. DOI: 10.1177/1534650113496869
11. Bari NS, Majid Bhrinian SA, Azargon H, Abedi H. The effectiveness of reality therapy on resiliency of divorced women in Neyshabour city; 2013.
12. Far NS, Sheikhi H, Amani Z. Effectiveness of group reality therapy in increasing the students' happiness. *International Journal of Psychology and Behavioral Research*. 2013;2(2):65-70.
13. Khazan K, Younesi SJ, Froughan M, Saadati H. The effectiveness of training reality therapy concepts on the happiness of elder people. *Iranian Journal of Ageing*. 2015;10(3):174-81.
14. Glasser W. *Counseling with choice theory: The new reality therapy*. Harper Collins; 2001.
15. Yalom ID, Leszcz M. *Theory and practice of group psychotherapy*. Basic Books; 2005.
16. Pasha GR, Amini S. The effect of reality therapy on life expectancy and anxiety of martyrs wives; 2006.
17. Sadeghifard RB, Samavi SA. The effectiveness of group counseling based on the choice theory on reducing marital conflicts. *American Journal of Life Science Researches*. 2013;1(1).
18. Guindon MH, editor. *Self-esteem across the lifespan: Issues and interventions*. Taylor & Francis; 2009.
19. Wigfield A, Eccles JS, Mac Iver D, Reuman DA, Midgley C. *Transitions during early adolescence: Changes in children's*

- domain-specific self-perceptions and general self-esteem across the transition to junior high school. *Developmental Psychology*. 1991;27(4):552.
20. Wubbolding RE. *Reality therapy for the 21st century*. Routledge; 2013.
21. Judge TA, Bono JE. Relationship of core self-evaluations traits—self-esteem, generalized self-efficacy, locus of control, and emotional stability—with job satisfaction and job performance: A meta-analysis. *Journal of Applied Psychology*. 2001;86(1):80.
22. Gravetter FJ, Forzano LA. *Research methods for the behavioral sciences*. Nelson Education; 2015.
23. Martín-Albo J, Núñez JL, Navarro JG, Grijalvo F. The rosenberg self-esteem scale: Translation and validation in university students. *The Spanish Journal of Psychology*. 2007;10(02):458-67.
24. Sheldon KM, Elliot AJ, Kim Y, Kasser T. What is satisfying about satisfying events? Testing 10 candidate psychological needs. *Journal of Personality and Social Psychology*. 2001;80(2):325.
25. Hermann KS, Betz NE. Path models of the relationships of instrumentality and expressiveness to social self-efficacy, shyness, and depressive symptoms. *Sex Roles*. 2004;51(1-2):55-66.
26. Toplak ME, Connors L, Shuster J, Knezevic B, Parks S. Review of cognitive, cognitive-behavioral, and neural-based interventions for Attention-Deficit/Hyperactivity Disorder (ADHD). *Clinical Psychology Review*. 2008;28(5): 801-23.
27. Lopez SJ, Kerr BA. An open source approach to creating positive psychological practice: A comment on Wong's Strengths-centered Therapy; 2006.
28. Barnes R, Parish TS. “Drugs” versus “Reality Therapy”. *International Journal of Reality Therapy*. 2006;25(2):43.

© 2017 Younesi et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

*The peer review history for this paper can be accessed here:
<http://sciencedomain.org/review-history/17877>*