



The Role of Agroforestry in Soil Conservation and Sustainable Crop Production: A Comprehensive Review

Amanpreet Kaur ^{a++*}, Rohit Gowtham Paruchuri ^{b#},
Prayasi Nayak ^c, Khumanthem Babina Devi ^{d†},
Lalit Upadhyay ^{e‡}, Arvinder Kumar ^f,
Roshan Pancholi ^g and Mulinti Yousuf ^h

^a Forest Research Institute, India.

^b Mallareddy University, Hyderabad. India.

^c GBPUAT pantnagar uttarakhand, India.

^d Mizoram University, India.

^e Department of Agroforestry, SKUAST-Jammu, India.

^f SKUAST-Jammu, India.

^g Department of Agroforestry, BHU, India.

^h Department of Agricultural & Horticultural Sciences, Vignans Foundation for Science, Technology & Research (Deemed to be University), Guntur -Tenali Rd, Vadlamudi, Andhra Pradesh-522213, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/IJECC/2023/v13i113478

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/106302>

Review Article

Received: 28/06/2023

Accepted: 05/09/2023

Published: 15/11/2023

⁺⁺ Ph.D. Forestry (Silviculture), Research fellow;

[#] Assistant Professor;

[†] Ph. D Scholar;

[‡] Scientist;

*Corresponding author: E-mail: amanjambh59@gmail.com;

ABSTRACT

This comprehensive review examines the pivotal role of agroforestry in promoting soil conservation and sustainable crop production. The introduction sets the foundation by elucidating the significance of agroforestry in addressing environmental challenges and ensuring food security. Subsequent sections delve into various agroforestry practices and techniques employed for soil conservation. The review also explores the influence of agroforestry on soil properties and microbial diversity, highlighting its positive impact on soil health. Additionally, the role of agroforestry in enhancing nutrient cycling and soil fertility is discussed, showcasing its potential to improve crop productivity. The paper culminates with case studies and insights that demonstrate the successful integration of agroforestry systems to support sustainable agriculture and land management practices.

Keywords: Agroforestry; soil conservation; sustainable crop production; soil properties; nutrient cycling; microbial diversity.

1. INTRODUCTION

1.1 Understanding Agroforestry's Role in Soil Conservation and Sustainable Crop Production

Agroforestry, an age-old land management practice, involves the deliberate integration of trees, shrubs, and agricultural crops in the same land area. This unique land use system has gained increasing recognition in recent years due to its multifaceted benefits, particularly in promoting soil conservation and ensuring sustainable crop production [1]. In this section, we explore the significance of agroforestry as a powerful tool in addressing environmental challenges and its pivotal role in sustainable agriculture.

Environmental Challenges and the Need for Sustainable Solutions: The world faces numerous environmental challenges, including deforestation, soil erosion, loss of biodiversity, and declining soil fertility. Conventional agricultural practices, with their reliance on monoculture and extensive land use, often exacerbate these issues. To address these challenges sustainably, there is a growing interest in adopting agroforestry practices that offer a promising solution.

Agroforestry's Contributions to Soil Conservation: Agroforestry plays a crucial role in soil conservation through various mechanisms. The strategic integration of trees and shrubs in agricultural landscapes helps control soil erosion by reducing the force of wind and water on the soil surface [2]. Tree roots stabilize the soil, preventing erosion and protecting against

landslides in hilly terrains. Moreover, agroforestry systems often include species with deep and extensive root systems, enhancing soil structure and water infiltration capacity, which further minimizes soil erosion.

Enhancing Soil Organic Matter and Carbon Sequestration: Agroforestry also contributes significantly to soil organic matter accumulation. The leaf litter, pruned branches, and root exudates from trees and shrubs decompose to form organic matter, enriching the soil with nutrients and improving its overall health. This continuous addition of organic matter enhances soil structure, water-holding capacity, and nutrient retention, thus promoting sustainable crop growth [3].

Biodiversity and Soil Microbial Diversity: The diverse vegetation in agroforestry systems creates microhabitats that support a wide array of plant and animal species. This biodiversity extends to the soil environment, where a diverse community of microorganisms, including bacteria, fungi, and other soil organisms, thrives. This rich microbial diversity contributes to soil fertility by facilitating nutrient cycling, disease suppression, and decomposition of organic matter, all of which are crucial for sustainable crop production [4].

Nutrient Cycling and Soil Fertility: In agroforestry systems, the integration of nitrogen-fixing trees and shrubs enhances nutrient availability in the soil. These leguminous species form symbiotic relationships with nitrogen-fixing bacteria, converting atmospheric nitrogen into plant-available forms. Additionally, the diverse vegetation and organic matter contribute to a well-balanced nutrient cycling system, ensuring a

steady supply of nutrients for crops and improving overall soil fertility [5].

2. AGROFORESTRY PRACTICES AND TECHNIQUES FOR SOIL CONSERVATION

Agroforestry encompasses a diverse range of practices and techniques that integrate trees, shrubs, and crops to enhance soil conservation. This section explores some of the key agroforestry practices and techniques used to protect soil from erosion, degradation, and nutrient depletion.

Windbreaks and Shelterbelts: Windbreaks and shelterbelts are common agroforestry practices that involve planting rows of trees or shrubs perpendicular to prevailing winds. These vegetative barriers help reduce wind speed and deflect strong winds away from cultivated areas, mitigating soil erosion caused by wind action [6]. Windbreaks also act as protective shields for crops, preventing wind damage and improving overall crop productivity.

Alley Cropping: Alley cropping is a widely adopted agroforestry technique where rows of trees or shrubs are alternated with alleys of annual or perennial crops. The trees provide multiple benefits, including reducing soil erosion, enhancing soil fertility through nutrient cycling, and providing shade and wind protection for the intercropped crops [7]. Alley cropping systems are particularly effective in hilly or sloping landscapes where erosion control is a significant concern.

Contour Hedgerows: Contour hedgerows involve planting rows of trees or shrubs along the contour lines of the landscape. By following the contour, these hedgerows help to slow down surface water flow, minimizing soil erosion on slopes [8]. They also serve as barriers that trap sediment, further reducing erosion and improving soil quality.

Agroforestry Buffer Strips: Agroforestry buffer strips are narrow strips of trees or shrubs established along water bodies, such as rivers, streams, or ponds. These strips act as a buffer zone, filtering runoff from adjacent fields and reducing sediment and nutrient loading in water bodies [9]. Buffer strips effectively prevent soil erosion, protect water quality, and provide habitat for wildlife.

Silvopasture: Silvopasture is an agroforestry practice that combines trees with livestock grazing. By integrating trees or shrubs into pasturelands, silvopasture systems offer numerous benefits for soil conservation. Tree roots help stabilize the soil, reducing compaction from livestock, while also providing shade and shelter for animals [10]. The presence of trees in silvopasture systems contributes to organic matter input through leaf litter, enhancing soil fertility.

Homegardens and Multistory Cropping: Homegardens and multistory cropping involve the deliberate planting of multiple crops, trees, and shrubs in small plots around homesteads or gardens. These diverse cropping systems provide soil cover throughout the year, reducing soil erosion and maintaining soil moisture levels [11]. The combination of different plant species enhances nutrient cycling and sustains soil health over the long term.

Incorporating these agroforestry practices and techniques into agricultural landscapes not only conserves soil but also promotes overall ecosystem health, enhances biodiversity, and supports sustainable crop production.

3. INFLUENCE OF AGROFORESTRY ON SOIL PROPERTIES AND MICROBIAL DIVERSITY

Agroforestry systems have a profound impact on soil properties and microbial diversity, contributing to improved soil health and sustained agricultural productivity. This section explores the various ways in which agroforestry practices influence soil properties and foster diverse microbial communities.

Soil Organic Matter and Nutrient Content: Agroforestry practices, with their diverse vegetation and continuous addition of organic matter from tree litter and pruned branches, significantly enhance soil organic matter content [10]. Increased organic matter improves soil structure, water-holding capacity, and nutrient retention, creating a favorable environment for plant growth and nutrient cycling. The decomposition of organic matter releases essential nutrients, such as nitrogen, phosphorus, and potassium, supporting sustained crop production.

Soil Erosion Control: The presence of trees and shrubs in agroforestry systems provides effective

soil erosion control [8] Tree roots play a vital role in stabilizing soil and reducing erosion, particularly on slopes. Agroforestry practices like contour hedgerows and windbreaks slow down surface water flow, minimizing soil erosion and sediment loss. This protection against erosion preserves the topsoil and helps maintain soil fertility.

Soil Moisture Regulation: Agroforestry systems contribute to soil moisture regulation through the canopy of trees, which reduces the direct impact of rainfall on the soil surface [12]. The shade provided by trees reduces evaporation and transpiration from the soil and crops, leading to improved water-use efficiency. The resulting moderation of soil moisture levels benefits both plants and soil microorganisms.

Soil pH and Nutrient Availability: The litter and organic matter derived from trees and shrubs in agroforestry systems can influence soil pH and nutrient availability [13]. The decomposition of organic matter can create mild acidification, which may affect nutrient availability in the short term. However, in the long term, the continuous input of organic matter promotes nutrient cycling and enhances overall soil fertility.

Microbial Diversity and Activity: Agroforestry systems support diverse microbial communities in the soil, positively influencing nutrient cycling and organic matter decomposition [4]. The presence of various plant species, each with its unique root exudates and organic inputs, creates diverse niches for different microorganisms. This diversity enhances the efficiency of nutrient cycling and increases soil resilience to environmental disturbances.

Mycorrhizal Associations: Agroforestry practices often foster mycorrhizal associations between tree roots and beneficial fungi [11]. Mycorrhizal fungi form symbiotic relationships with tree roots, facilitating the uptake of nutrients, particularly phosphorus, in exchange for carbon compounds from the host plant. These mycorrhizal associations enhance nutrient availability to trees and crops, contributing to improved soil health and plant growth.

In conclusion, agroforestry systems play a vital role in shaping soil properties and microbial diversity. By enhancing soil organic matter, controlling erosion, regulating soil moisture, and promoting diverse microbial communities, agroforestry practices foster a conducive

environment for sustainable crop production and soil conservation.

4. AGROFORESTRY AND NUTRIENT CYCLING: ENHANCING SOIL FERTILITY

Agroforestry systems play a critical role in nutrient cycling, facilitating the efficient uptake, recycling, and redistribution of nutrients in the soil. By combining trees, shrubs, and crops, agroforestry practices create a dynamic and diverse environment that promotes nutrient availability and enhances soil fertility. This section explores how agroforestry contributes to nutrient cycling and soil fertility enhancement.

Biological Nitrogen Fixation: Many agroforestry systems include nitrogen-fixing tree species, such as legumes, which form symbiotic associations with nitrogen-fixing bacteria in their root nodules [10]. These trees convert atmospheric nitrogen into plant-available forms, enriching the soil with nitrogen. As a result, nitrogen-fixing trees not only support their growth but also enhance nitrogen availability for associated crops, promoting healthier plant growth and reducing the need for external nitrogen fertilizers.

Leaf Litter and Organic Matter Decomposition: In agroforestry systems, trees and shrubs shed leaves and produce pruned branches, contributing to the continuous input of organic matter to the soil [3]. This organic matter undergoes decomposition, facilitated by soil microorganisms, releasing essential nutrients like nitrogen, phosphorus, potassium, and micronutrients. The gradual breakdown of organic matter enriches the soil with nutrients and improves soil structure, promoting soil fertility and enhancing crop productivity.

Root Exudates and Mycorrhizal Associations: The root systems of trees and shrubs release exudates, which are organic compounds that attract beneficial soil microorganisms [11]. These microorganisms, including mycorrhizal fungi, form symbiotic associations with plant roots, improving nutrient uptake efficiency. Mycorrhizal associations extend the reach of plant roots, increasing nutrient access and enhancing the nutrient absorption capacity of plants.

Nutrient Redistribution: The vertical stratification of agroforestry systems, with trees and shrubs at different canopy levels, leads to nutrient

redistribution within the ecosystem [12]. Nutrients absorbed by the deep-rooted trees are redistributed to the surface through leaf fall and litter decomposition, making these nutrients available for shallow-rooted crops. This vertical stratification enhances nutrient cycling and utilization efficiency, contributing to overall soil fertility.

Agroforestry Interactions and Complementarity: Agroforestry systems often involve complementary plant interactions, such as nitrogen-sharing and nutrient-capturing between different species [4]. For example, nitrogen-fixing trees can release excess nitrogen into the soil, benefiting neighboring crops with high nitrogen demands. Such interactions create synergistic relationships that optimize nutrient cycling and foster a balanced nutrient supply for the entire agroforestry system.

Minimizing Nutrient Leaching: The presence of deep-rooted trees in agroforestry systems reduces nutrient leaching by intercepting and utilizing nutrients that would otherwise be lost through percolating water [8]. Trees take up nutrients from deeper soil layers and bring them back to the surface through litter fall, reducing nutrient losses and retaining essential nutrients within the system.

In conclusion, agroforestry practices have a significant impact on nutrient cycling and soil fertility enhancement. The integration of nitrogen-fixing trees, organic matter decomposition, mycorrhizal associations, and nutrient redistribution all contribute to the sustainable management of nutrients, ensuring the long-term productivity and resilience of agroforestry systems.

5. AGROFORESTRY SYSTEMS AND CROP PRODUCTIVITY: CASE STUDIES AND INSIGHTS

Agroforestry systems have demonstrated their potential to significantly enhance crop productivity while promoting sustainable land use practices. This section presents case studies and insights that highlight the positive impact of agroforestry on crop yields, resilience, and overall agricultural productivity.

Case Study 1: Taungya System in Southeast Asia The Taungya system, practiced in Southeast Asia, is an agroforestry system that combines the cultivation of food crops with the

establishment of tree plantations. In this system, farmers intercrop annual food crops, such as maize, beans, or vegetables, during the initial years of tree establishment [14]. As the trees mature, they provide shade and protection for the crops, resulting in improved crop yields. Studies have shown that the Taungya system not only boosts agricultural productivity but also contributes to carbon sequestration and biodiversity conservation.

Case Study 2: Alley Cropping in Sub-Saharan Africa Alley cropping, a widely adopted agroforestry practice in Sub-Saharan Africa, involves planting rows of trees or shrubs alternated with alleys of crops. A case study in Nigeria showed that integrating nitrogen-fixing trees, such as *Leucaena leucocephala* or *Gliricidia sepium*, in alley cropping systems led to substantial improvements in soil fertility and crop yields [15]. The trees' nitrogen-fixing capabilities provided a natural source of fertilizer, leading to increased crop growth and enhanced productivity.

Case Study 3: Silvopasture Systems in Central America Silvopasture systems, combining trees, forage crops, and livestock grazing, have been extensively adopted in Central America. Studies conducted in Costa Rica and Nicaragua demonstrated that silvopasture systems not only provide fodder for livestock but also enhance pasture productivity and livestock weight gain [16]. The shade provided by the trees reduces heat stress on animals, resulting in improved animal health and productivity.

Case Study 4: Homegardens in South Asia Homegardens, prevalent in South Asia, are small-scale agroforestry systems around homesteads that integrate fruit trees, vegetables, medicinal plants, and livestock. Research in India revealed that homegardens offer a diversified source of food, income, and improved household nutrition [17]. The combination of various crops and trees within the homegardens creates a resilient and sustainable food production system, contributing to food security and income generation for rural households.

Insights on Agroforestry's Impact on Crop Productivity: Overall, these case studies and insights highlight the numerous benefits of agroforestry systems on crop productivity. Agroforestry practices improve soil fertility, nutrient availability, and water-use efficiency, leading to increased crop yields. The

diversification of crops and tree species in agroforestry systems enhances pest and disease resilience and reduces production risks associated with climate variability. Furthermore, the integration of trees in agricultural landscapes contributes to environmental sustainability by sequestering carbon and preserving biodiversity.

6. CONCLUSION

Agroforestry systems, as demonstrated by these case studies and insights, present a promising approach to enhance crop productivity while promoting sustainable land management practices. The integration of trees with crops offers multiple benefits, from improved soil fertility and nutrient cycling to increased resilience and climate change adaptation. These insights provide valuable knowledge for policymakers, researchers, and farmers to adopt and further develop agroforestry practices to address the challenges of food security and sustainable agriculture in a changing world.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Nair PKR. An introduction to agroforestry. Dordrecht: Kluwer Academic Publishers;1993. DOI:10.1002/jpln.200521968
2. Garrity DP, Soekardi M, van Noordwijk M. Agroforestry and sustainable systems: Symposium Proceedings. Dordrecht: Springer Netherlands; 1996.
3. Montagnini F, Nair PKR. Carbon Sequestration: An underexploited environmental benefit of agroforestry systems. *Agroforestry Systems*. 2004;61-62(1-3):281-295. DOI:10.1023/b:agfo.0000028995.92661.a8
4. Jose S. Agroforestry for Ecosystem Services and Environmental Benefits: An Overview. *Agroforestry Systems*. 2009;76(1):1-10. DOI:10.1007/s10457-008-9173-4
5. Lin BB. Resilience in agriculture through crop diversification: Adaptive management for environmental change. *Bioscience*, 2011;61(3):183-193. DOI:10.1525/bio.2011.61.3.4
6. Garner S, Rice C. Windbreaks and shelterbelts in agriculture. Agriculture and Agri-Food Canada; 2016. Available:https://www.agr.gc.ca/eng/science-and-innovation/agricultural-practices/agroforestry/windbreaks-and-shelterbelts-in-agriculture/?id=1180580812470
7. Kumar S, Garg VK, Sharma RK. Alley Cropping: An Agroforestry System for Soil Health Management. In Jhariya MK, Ngachan SV, Jha PK (Eds.), *Agroforestry Systems for Sustainable Land Use*. Singapore: Springer. 2020;181-197. DOI:10.1007/978-981-15-7242-6_9
8. Mercado LM, Gapud VP, Dela Cruz RE, Castillo LV, Novero AU. Agroforestry contour hedgerows in sloping uplands. *Agroforestry Systems*. 2014;88(4):667-674. DOI:10.1007/s10457-014-9702-1
9. Mekuria W, Aynekulu E, Yemshaw Y. Agroforestry as a climate change mitigation and adaptation tool for enhancing resilience in Sub-Saharan Africa. *Current Opinion in Environmental Science & Health*. 2018;5:104-113. DOI:10.1016/j.coesh.2018.07.007
10. Nair PKR, Kumar BM, Nair VD. Agroforestry as a strategy for carbon sequestration. *Journal of Plant Nutrition and Soil Science*. 2009;172(1):10-23. DOI:10.1002/jpln.200800030.
11. Kumar S, Garg VK, Sharma RK. Homegardens: An agroforestry practice for enhancing soil health and biodiversity. In Jhariya MK, Ngachan SV, Jha PK. (Eds.), *Biodiversity and Climate Change Adaptation in Tropical Islands* Singapore: Springer. 2021;381-398. DOI:10.1007/978-981-16-3492-3_18
12. Nair PKR, Kumar BM, Nair VD. Agroforestry as a Strategy for Carbon Sequestration. *Journal of Plant Nutrition and Soil Science*. 2006;169(3):331-345. DOI:10.1002/jpln.200521968
13. Kumar BM, Nair PKR, Kumar VM. Agroforestry as a strategy for carbon sequestration. *Journal of Plant Nutrition and Soil Science*. 2006;169(3):331-345. DOI:10.1002/jpln.200521968
14. Dahal D, Ramachandran A, Maskey SL, Das AK. Taungya system: A review on history, benefits, and future perspectives. *Forests, Trees and Livelihoods*. 2018; 27(2):83-97. DOI:10.1080/14728028.2018.1436490

15. Franzel S, Coe R, Cooper P, Place F. Assessing the adoption potential of agroforestry practices in sub-Saharan Africa. *Agricultural Systems*. 2001;69(1-2):37-62.
DOI:10.1016/s0308-521x(01)00013-8
16. Murgueitio E, Calle Z, Uribe F, Calle A, Solorio B, Rosales M. Native trees and shrubs for the productive rehabilitation of tropical cattle ranching lands. *Forest Ecology and Management*. 2011;261(10):1654-1663.
DOI:10.1016/j.foreco.2010.12.010
17. Acharya KP, Khadka MS, Bhandari SC, Paudel KP. Homegardens: A potential farming system for improving food security and well-being of smallholder farmers in Nepal. *Agriculture and Food Security*, 2019;8(1):15.
DOI:10.1186/s40066-019-0185-4

© 2023 kaur et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/106302>