



Unlocking the Benefits of Carbon Sequestration for Enhancing Soil Health

**M. R. Pandao^{a++}, Anand Dinesh Jejal^{b#*},
Er Prashant Shukla^{c†}, S. Prabhumitrareddy^d,
Sandeep Rout^{e‡}, Kirttiranjan Baral^f and Megha Bhadani^{g‡}**

^a Department of Soil Science, Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola, India.

^b Department of Agronomy, Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola - 444 104, India.

^c Division of Agricultural Engineering, Icar-lari New Delhi, India.

^d Department of Agronomy, Nagaland University, 797106 India.

^e Faculty of Agriculture, Sri Sri University, Cuttack, Odisha -754006, India.

^f ICAR-NAARM, Hyderabad-500030, India.

^g Department of Soil Science Narayan Institute of Agricultural Sciences Gopal Narayan Singh University, Sasaram Bihar, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/IJECC/2023/v13i123803

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/111272>

Review Article

Received: 19/10/2023

Accepted: 22/12/2023

Published: 30/12/2023

ABSTRACT

This abstract investigates the profound interconnection between carbon sequestration methods and soil health enhancement, crucial for sustainable land management. Evaluating various strategies, including cover cropping, reduced tillage, agroforestry, and biochar application, this study elucidates

⁺⁺ Ph.D Research Scholar;

[#] M.Sc Scholar;

[†] PhD Scholar;

[‡] Assistant Professor;

*Corresponding author: E-mail: anandjejal@pdkv.ac.in;

their role in augmenting soil organic carbon levels and fostering microbial diversity, thereby improving soil structure, water retention, nutrient cycling, and overall fertility. It examines the reciprocal impacts of carbon sequestration and soil health on agricultural yields, ecosystem resilience, and climate change mitigation. Furthermore, the research outlines barriers to widespread adoption, such as economic constraints and policy frameworks, emphasizing the need for interdisciplinary approaches and technological innovations. Overall, this study advocates integrating carbon sequestration practices into agricultural techniques as a pivotal step towards mitigating climate change and fortifying soil health for sustainable land use and resilient ecosystems.

Keywords: Agroforestry; carbon sequestration; photosynthesis; soil health; sustainable.

1. INTRODUCTION

1.1 Definition of Carbon Sequestration in Soils

- Carbon sequestration in soils refers to the process by which carbon dioxide (CO₂) from the atmosphere is absorbed by plants through photosynthesis and subsequently transferred and stored as organic carbon in the soil. It involves the capture and long-term storage of atmospheric carbon in soil organic matter [1].
- This process helps mitigate the rising levels of CO₂ in the atmosphere, thereby contributing to the reduction of greenhouse gas concentrations, which is crucial in addressing climate change.

1.2 Importance of Soil Health in Agriculture and Ecosystems

- Soil health is fundamental for sustaining agricultural productivity and supporting diverse ecosystems. Healthy soils are essential for crop growth, nutrient cycling, water filtration, and the provision of ecosystem services [2].
- Healthy soils contribute to increased crop yields, improved water retention, enhanced nutrient availability, and the promotion of biodiversity [3]. They also play a crucial role in regulating water flow, reducing erosion, and sequestering carbon.

2. UNDERSTANDING CARBON SEQUESTRATION IN SOILS

2.1 Mechanisms and Processes of Carbon Sequestration in Soil [4-5]

2.1.1 Natural processes

- **Photosynthesis:** Plants absorb atmospheric CO₂ and convert it into organic carbon through photosynthesis.

This carbon is then transferred to the soil through root exudates, dead plant material, and root turnover [6,7].

- **Decomposition:** When organic matter such as plant residues or animal waste decomposes, part of the organic carbon is stabilized and incorporated into the soil. Microorganisms break down organic materials, releasing CO₂, but some carbon remains in the soil as stable organic matter.
- **Microbial Activity:** Soil microorganisms, like fungi and bacteria, play a crucial role in the decomposition of organic matter. Some microbial species can produce substances that aid in carbon stabilization, contributing to long-term carbon sequestration in soils.

2.1.2 Human-Induced methods

- **Agricultural Practices:** Farming techniques such as no-till or reduced-till farming, cover cropping, crop rotation, and agroforestry can enhance carbon sequestration by increasing the input of organic matter to the soil.
- **Land Management:** Proper land management practices, including minimizing soil disturbance, conserving native vegetation, and restoring degraded lands, can contribute to increased soil carbon storage.
- **Soil Amendments:** Application of soil amendments like biochar, compost, or manure can introduce stable forms of organic carbon into the soil, boosting its carbon content and enhancing sequestration.

2.2 Types of Soil Organic Carbon and Their Roles [8,9]

2.2.1 Labile vs. recalcitrant carbon

- **Labile Carbon:** Labile carbon refers to the fraction of organic carbon that is readily

available and easily decomposed by soil microbes. It includes fresh plant residues and easily decomposable organic matter, contributing to short-term carbon cycling in soils.

- **Recalcitrant Carbon:** Recalcitrant carbon is more stable and resistant to decomposition. It comprises more complex organic compounds that resist breakdown, contributing to the long-term storage of carbon in soils.

2.2.2 Importance of different organic carbon pools in soil

- Different organic carbon pools in soil play varying roles in carbon cycling and storage. Labile carbon provides a readily available energy source for soil organisms but is more prone to decomposition. Recalcitrant carbon, being more resistant to decay, contributes significantly to long-term carbon sequestration in soils, enhancing soil fertility and stability [10-12].

Table 1. Potential of carbon sequestration in world soils for about 50 to 100 years

Ecosystem	Technical potential (Gt ^a C/yr)
1. Croplands	0.6–1.2
2. Grazing lands (Grasslands and Rangelands)	0.5–1.7
3. Restoration of salt affected soils	0.4–1.0
4. Desertification control	0.3–0.5
Total	1.8–4.4

^aGt (Gigatonne = 10⁹ tonnes)
(Source: Lal, 2010)

3. IMPACT OF CARBON SEQUESTRATION ON SOIL HEALTH [13]

3.1 Improving Soil Structure and Stability [14,15]

3.1.1 Role of soil organic matter in aggregation and erosion prevention

- Soil organic matter (SOM) derived from carbon sequestration processes plays a vital role in forming soil aggregates. These aggregates stabilize soil structure by binding soil particles together, reducing compaction, and enhancing soil aeration and root penetration.

- Organic matter acts as a natural adhesive, promoting the aggregation of soil particles into stable clusters. These aggregates help prevent soil erosion by water or wind, reducing soil loss.

3.1.2 Influence on soil porosity and water retention

- Carbon sequestration contributes to increased soil organic matter, which enhances soil porosity by creating spaces or pores between soil particles. Improved soil structure and increased organic matter content enhance water infiltration, water-holding capacity, and soil moisture retention [16,17].
- Well-structured soils with increased organic matter content can better retain moisture during dry periods, reducing drought stress on plants.

3.2 Nutrient Cycling and Availability [18, 19]

3.2.1 Relationship between soil organic carbon and nutrient availability:

- Soil organic carbon acts as a reservoir for essential plant nutrients. Increased carbon sequestration leads to higher organic matter content, improving the soil's nutrient-holding capacity and availability for plants.
- Organic matter serves as a source of nutrients through microbial decomposition, releasing nitrogen, phosphorus, potassium, and other essential elements for plant uptake.

3.2.2 Enhancement of microbial activity and nutrient cycling:

- Increased soil organic carbon supports a diverse and active microbial community. Microorganisms break down organic matter, releasing nutrients in plant-available forms, enhancing nutrient cycling processes.
- Improved microbial activity stimulated by increased carbon sequestration enhances the breakdown of complex organic materials, facilitating nutrient release and improving soil fertility.

3.3 Mitigating Soil Degradation and Erosion [20]

3.3.1 Stabilization of soil against degradation processes:

- Carbon sequestration and the resulting improvement in soil structure help stabilize soil against degradation processes such as compaction, salinization, and acidification.
- Enhanced soil health through increased organic matter reduces susceptibility to degradation, maintaining soil productivity and resilience.

3.3.2 Role in reducing soil erosion and loss of topsoil

- Soils rich in organic matter are less prone to erosion. Carbon sequestration practices contribute to the formation of stable soil aggregates that resist water and wind erosion, preventing the loss of topsoil and valuable nutrients.

4. CARBON SEQUESTRATION PRACTICES AND TECHNIQUES [21,22]

4.1 Conservation Agriculture Methods

4.1.1 No-Till or reduced-till farming systems

- No-till or reduced-till practices involve minimizing or eliminating plowing or mechanical disturbance of the soil. This helps maintain soil structure, organic matter content, and microbial activity.
- Reduced soil disturbance preserves soil aggregates and enhances carbon sequestration by reducing the decomposition of soil organic matter. It also minimizes CO₂ emissions associated with tillage.

4.1.2 Cover cropping and crop rotation

- Cover cropping involves planting specific crops to cover the soil during periods when the primary crop is not growing. This practice adds organic matter to the soil, reducing erosion, enhancing soil fertility, and boosting carbon inputs.
- Crop rotation diversifies plant species, improves soil biodiversity, and enhances soil carbon content by varying root systems and organic matter inputs.

Cover cropping and crop rotation are two essential practices in sustainable agriculture that offer numerous benefits in terms of soil health, fertility, and pest management. Here are explanations and examples of each:

1. Cover Cropping: Cover cropping involves planting specific crops, primarily during fallow periods or alongside primary crops, to cover and protect the soil. These cover crops provide various benefits, including soil erosion prevention, nutrient retention, weed suppression, and enhancement of soil structure. Examples of cover crops include:

- **Legumes such as clover, vetch, or peas:** These fix atmospheric nitrogen through symbiotic relationships with nitrogen-fixing bacteria, enriching the soil with this essential nutrient.
- **Grasses like rye, oats, or barley:** These cover crops contribute organic matter to the soil upon decomposition, improving soil structure and enhancing microbial activity.
- **Mixed cover crop blends:** Combining different species in cover crop blends offers multiple benefits, such as diverse root structures, increased biodiversity, and better soil coverage.

2. Crop Rotation: Crop rotation involves systematically planting different crops in sequential seasons or years on the same piece of land. This practice helps break disease and pest cycles, improves soil fertility, reduces soil erosion, and enhances overall crop yields. Examples of crop rotation include:

- **Corn-Soybean Rotation:** Alternating between corn and soybeans allows for complementary nitrogen-fixing capabilities (soybeans fix nitrogen) and different nutrient needs, promoting balanced soil fertility.
- **Three-Field Rotation:** Historically used in Europe, this rotation involves dividing the land into three sections: one for a cereal crop like wheat or barley, another for legumes, and the third left fallow or planted with cover crops. This system replenishes soil nutrients and reduces soil degradation.
- **Diversified Crop Rotations:** Introducing a diverse array of crops like root vegetables, leafy greens, and grains within rotations contributes to soil health, pest management, and improved resilience to environmental stresses.




Fig. 1. Principles of conservation agriculture

Table 2. Strategies for C sequestration in agricultural soils

Increase input	Decrease output
Increasing crop productivity	Erosion control
Diversified crop rotations	Reduced or no tillage
Higher return of crop residues	Mulch farming
Increasing use of organic manures	Reduced bare fallow
Green manuring	Input of low-quality organic material
Intensive cropping	
Elimination of fallow	
Agroforestry systems	
Improved irrigation	
Greater root biomass	
Depth placement of carbon	
Switching from annual crops to perennial vegetation	

4.2 Soil Amendments and Organic Inputs [22]

4.2.1 Role of organic amendments (e.g., compost, biochar) in carbon sequestration

- Organic amendments like compost, biochar, and manure increase soil organic carbon content. Compost and manure contribute to soil fertility and microbial activity, while biochar, due to its stable carbon structure, provides long-term carbon storage in the soil.
- Biochar, in particular, has a high carbon content and can persist in the soil for

hundreds to thousands of years, contributing significantly to carbon sequestration.

4.2.2 Utilization of green manures and crop residues

- Green manures involve growing specific plant species that are subsequently incorporated into the soil to add organic matter. Crop residues left after harvest, when incorporated into the soil, contribute to organic carbon inputs, fostering soil health and carbon sequestration.

Utilization of green manures and crop residues plays a significant role in enhancing soil fertility,

nutrient cycling, and overall agricultural sustainability. These organic materials, derived from plant matter, offer valuable benefits when incorporated into farming practices.

1. **Green Manures:** Green manures involve planting specific cover crops that are later incorporated into the soil to improve its fertility. Examples include:

- **Leguminous Cover Crops:** Plants like clover, vetch, and peas are known for their nitrogen-fixing abilities. They form a symbiotic relationship with nitrogen-fixing bacteria, enriching the soil with nitrogen when the plants are turned back into the soil.
- **Non-leguminous Cover Crops:** Mustard, buckwheat, and rye are examples that provide other soil benefits like weed suppression, organic matter addition, erosion control, and improvement of soil structure.

2. **Crop Residues:** Crop residues are the parts of the plant left in the field after harvest. These residues can be used in various ways to benefit soil health:

- **Mulching:** Crop residues like straw or hay can be used as mulch, covering the soil surface to reduce erosion, retain soil moisture, suppress weeds, and gradually decompose, adding organic matter to the soil.
- **Direct Incorporation:** Plowing or tilling crop residues into the soil enhances organic matter content, improves soil structure, and fosters microbial activity. For example, when corn stalks or wheat stubble are plowed back into the field, they decompose, releasing nutrients and improving soil structure.
- **Composting:** Crop residues can be composted along with other organic materials to create nutrient-rich compost that can then be applied to fields as an organic fertilizer, enhancing soil fertility.

4.3 Afforestation and Agroforestry [23-24]

4.3.1 Importance of trees and perennial crops in carbon sequestration

- Trees and perennial crops sequester atmospheric carbon through photosynthesis and store it in woody

biomass and root systems. They contribute significantly to carbon sequestration, providing long-term storage in both above-ground and below-ground biomass.

- The deep root systems of trees and perennial crops enhance soil carbon storage by adding organic matter and stabilizing soil structure.

Trees and perennial crops play a crucial role in carbon sequestration, which refers to the capture and storage of atmospheric carbon dioxide in plants, soils, and other organic matter. Their importance lies in their ability to absorb carbon dioxide during photosynthesis and store carbon within their biomass and in the soil, contributing significantly to mitigating climate change. Here are some key points highlighting their importance along with examples:

1. Carbon Sequestration

- **Trees:** Forests are among the most efficient ecosystems for carbon sequestration. They absorb carbon dioxide during photosynthesis and store it in their trunks, branches, leaves, and roots. Old-growth forests, such as the Amazon rainforest, are significant carbon sinks due to their vast biomass and long-term carbon storage capacity.
- **Perennial Crops:** Perennial crops, like orchards, vineyards, and certain grasses, have longer lifespans compared to annual crops. Their extensive root systems contribute to soil carbon sequestration. For instance, agroforestry systems that integrate trees with perennial crops or pastures can sequester carbon both in the biomass of trees and in the soil.

2. Long-Term Carbon Storage

- **Trees:** Trees can sequester carbon for decades to centuries, especially when they mature. Forests act as a reservoir for stored carbon, which remains sequestered until the trees decay or are disturbed, releasing carbon back into the atmosphere.
- **Perennial Crops:** Perennial plants establish deep root systems that enhance soil organic matter, promoting long-term carbon storage in the soil. This contributes to increased soil fertility and resilience against environmental stresses.

3. Biodiversity and Ecosystem Services

- **Trees:** Forests support diverse ecosystems, providing habitats for various species and offering ecosystem services such as water purification, soil stabilization, and climate regulation, in addition to carbon sequestration.
- **Perennial Crops:** Integrating perennial crops into agricultural systems enhances biodiversity, soil health, and ecosystem resilience. Agroforestry systems, for instance, offer multiple benefits by combining tree crops with agricultural crops, thus promoting carbon sequestration alongside increased agricultural productivity.

4.3.2 Integration of trees in agricultural landscapes for enhanced soil carbon storage [25-26]

- Agroforestry practices involve integrating trees into agricultural systems. This includes alley cropping, silvopasture, or windbreaks, where trees are strategically planted in agricultural landscapes to enhance carbon sequestration while maintaining agricultural productivity.
- Trees in agroforestry systems contribute to soil fertility, reduce soil erosion, improve water retention, and increase carbon sequestration in both biomass and soils.

The integration of trees within agricultural landscapes offers significant potential for enhancing soil carbon storage and promoting sustainable land management practices [27-29]. Here are several examples that illustrate the benefits and strategies associated with incorporating trees into agricultural areas to bolster soil carbon storage:

1. Agroforestry Systems:

- **Silvopastoral Systems:** In these systems, trees are integrated into grazing lands. The presence of trees not only provides shade for livestock but also contributes to increased organic matter input to the soil through leaf litter and root exudates, thereby enhancing soil carbon storage. An example is the integration of leguminous trees like *Leucaena* or *Acacia* within pastures in tropical regions.
- **Alley Cropping:** This method involves planting rows of trees within crop fields.

Trees provide windbreaks, reduce soil erosion, and contribute to increased soil carbon through leaf litter decomposition. For instance, alley cropping with nitrogen-fixing trees like *Robinia pseudoacacia* has shown soil carbon improvements in temperate regions.

2. Windbreaks and Riparian Buffers

- **Windbreaks:** Planting trees as windbreaks along agricultural fields not only reduces wind erosion but also contributes to carbon sequestration in the soil. Species like poplar or willow used as windbreaks have shown to enhance soil carbon storage while protecting crops.
- **Riparian Buffers:** Trees planted along water bodies on farms (riparian buffers) serve as a natural filter for sediments and nutrients, while their root systems help stabilize streambanks and contribute to increased soil carbon storage in these areas.

3. Agroforestry with Perennial Crops

- **Fruit and Nut Orchards:** Introducing fruit or nut orchards into agricultural landscapes offers the benefits of perennial crops. Trees in orchards contribute to soil carbon storage through their root systems and the organic matter they contribute to the soil.
- **Vetiver Grass Hedges:** While not trees, vetiver grass hedges are perennial grass barriers that effectively control soil erosion on sloping agricultural land. Their extensive root systems promote soil carbon storage and soil health.

5. CHALLENGES AND CONSIDERATIONS

5.1 Limitations and Barriers to Effective Carbon Sequestration

5.1.1 Variability in sequestration rates across different soils and climates

- The capacity of soils to sequester carbon varies significantly based on soil types, climates, land uses, and management practices. Some soils sequester carbon more effectively than others due to differences in organic matter content, texture, drainage, and microbial activity.

- Factors such as temperature, moisture, soil pH, and microbial communities influence the rate of carbon sequestration, making it challenging to predict and manage across diverse landscapes.

5.1.2 Economic constraints and adoption barriers for farmers

- Implementing carbon sequestration practices often requires initial investments and changes in farming practices, which can pose economic challenges for farmers, especially smallholders.
- Lack of financial incentives, technical knowledge, access to suitable technologies, and infrastructure can hinder widespread adoption of practices that promote carbon sequestration.

5.2 Environmental Implications and Trade-offs

5.2.1 Balancing carbon sequestration with other environmental goals

- Some carbon sequestration practices may have trade-offs with other environmental goals. For instance, converting land for afforestation or biofuel crop production might impact biodiversity, water resources, or food production.
- Balancing carbon sequestration efforts with other environmental priorities, such as biodiversity conservation or food security, requires careful planning and integrated land-use strategies.

5.2.2 Potential effects on greenhouse gas emissions and soil microbial communities

- Altering land-use practices for carbon sequestration might inadvertently affect greenhouse gas emissions. For instance, increasing carbon inputs could stimulate microbial activity, potentially leading to increased emissions of nitrous oxide (N₂O) or methane (CH₄), both potent greenhouse gases.
- Changes in soil management practices might also impact soil microbial communities, potentially altering nutrient

cycling processes or soil ecosystem functions.

6. FUTURE DIRECTIONS

6.1 Research Gaps and Opportunities [30, 31]

6.1.1 Advancements in measurement techniques and modeling

- Further research is needed to improve measurement techniques for accurately quantifying soil carbon stocks and understanding carbon dynamics in different soil types and ecosystems.
- Developing advanced modeling tools and remote sensing technologies can enhance our ability to monitor and predict carbon sequestration rates across various landscapes and land management practices.

6.1.2 Innovative practices for maximizing carbon sequestration potential

- Continued research and innovation are essential to identify and optimize agricultural and land management practices that maximize carbon sequestration potential while maintaining productivity.
- Exploring new techniques, such as precision agriculture, novel crop rotations, and tailored soil amendments, can help increase carbon inputs and enhance long-term carbon storage in soils.

6.2. Policy Implications and Recommendations

6.2.1 Developing supportive policies for incentivizing carbon sequestration practices

- Policy frameworks should incentivize and support farmers, land managers, and stakeholders to adopt practices that enhance carbon sequestration in soils.
- Implementing financial incentives, subsidies, carbon markets, and policy mechanisms can encourage the adoption of sustainable land management practices that promote carbon sequestration.




Fig. 2. Greenhouse gas emission by sources

7. CONCLUSION

The integration of carbon sequestration practices into agricultural methodologies emerges as a cornerstone for advancing both environmental sustainability and agricultural productivity. This study emphasizes that the symbiotic relationship between carbon sequestration and soil health enhancement offers a promising pathway to mitigate climate change impacts while simultaneously bolstering soil resilience and fertility. Addressing the identified barriers—such as economic constraints and policy gaps—through collaborative efforts among stakeholders, policymakers, researchers, and practitioners is imperative. Encouraging widespread adoption of effective carbon sequestration techniques holds the key to not only sustaining agricultural yields and fostering resilient ecosystems but also ensuring the long-term viability of land resources for future generations in the face of a changing climate.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- Nair R, Mehta CR, Sharma S. Carbon sequestration in soils-A Review. *Agricultural Reviews*. 2015;36(2): 81-99.
- Kibblewhite MG, Ritz K, Swift MJ. Soil health in agricultural systems. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 2008; 363(1492):685-701.
- Yang T, Siddique KH, Liu K. Cropping systems in agriculture and their impact on soil health-A review. *Global Ecology and Conservation*. 2020;23:01118.
- Yang T, Siddique KH, Liu K. Cropping systems in agriculture and their impact on soil health-A review. *Global Ecology and Conservation*. 2020;23:01118.
- Teague R, Kreuter U. Managing grazing to restore soil health, Ecosystem function, and ecosystem services. *Frontiers in Sustainable Food Systems*. 2020;157.
- Goulden ML, Munger JW, Fan SM, Daube BC, Wofsy SC. Measurements of carbon sequestration by long-term eddy covariance: Methods and a critical evaluation of accuracy. *Global Change Biology*. 1996;2(3):169-182.
- Kay S, Rega C, Moreno G, Den Herder M, Palma JH, Borek R, Herzog F. Agroforestry creates carbon sinks whilst enhancing the environment in agricultural landscapes in Europe. *Land Use Policy*. 2019;83:581-593.
- Usharani KV, Roopashree KM, Naik D. Role of soil physical, Chemical and biological properties for soil health improvement and sustainable agriculture. *Journal of Pharmacognosy and Phytochemistry*. 2019;8(5):1256-1267.

9. Prasad Shiv, Lal Chand Malav, Jairam Choudhary, Sudha Kannojiya, Monika Kundu, Sandeep Kumar, Ajar Nath Yadav. Soil microbiomes for healthy nutrient recycling. *Current trends in microbial biotechnology for sustainable agriculture*. 2021;1-21.
10. Wang Y, Hsieh YP. Uncertainties and novel prospects in the study of the soil carbon dynamics. *Chemosphere*. 2002;49(8):791-804.
11. Benbi DK. Carbon sequestration for soil health enhancement and mitigating climate change. *Research Journal*. 2015;49(3): 263.
12. Biardeau L, Crebbin-Coates R, Keerati R, Litke S, Rodríguez H. Soil health and carbon sequestration in US croplands: A policy analysis. United States Department of Agriculture and the Berkeley Food Institute. (2016). Available:http://food.berkeley.edu/wp-content/uploads/2016/05/GSPPCarbon_03_052016_FINAL.pdf
13. Rao DLN, Aparna K, Mohanty SR. Microbiology and biochemistry of soil organic matter, carbon sequestration and soil health. *Indian Journal of Fertilisers*. 2019;15(2):124-138.
14. Wang X, Cammeraat EL, Cerli C, Kalbitz K. Soil aggregation and the stabilization of organic carbon as affected by erosion and deposition. *Soil Biology and Biochemistry*. 2014;72:55-65.
15. Obalum SE, Chibuike GU, Peth S, Ouyang Y. Soil organic matter as sole indicator of soil degradation. *Environmental monitoring and assessment*. 2017;189:1-19.
16. Jayaraman S, Naorem AK, Sinha NK, Mohanty M, Hati KM, Patra AK, Dalal RC. conservation agriculture: issues, prospects, and challenges in rainfed regions of India. *Conservation Agriculture: A Sustainable Approach for Soil Health and Food Security: Conservation Agriculture for Sustainable Agriculture*. 2021;1-21.
17. Jeffry L, Ong MY, Nomanbhay S, Mofijur, M, Mubashir M, Show PL. Greenhouse gases utilization: A review. *Fuel*. 2021; 301:121017.
18. Attiwill PM, Adams MA. Nutrient cycling in forests. *New phytologist*. 1993;124(4):561-582.
19. Vitousek P. Nutrient cycling and nutrient use efficiency. *The American Naturalist*. 1982;119(4):553-572.
20. Lal R. Restoring soil quality to mitigate soil degradation. *Sustainability*. 2015;7(5): 5875-5895.
21. Moura-Costa P. Carbon sequestration. *Dipterocarp forest ecosystems: Towards sustainable management*. 1996;308.
22. Bamdad H, Papari S, Lazarovits G, Berruti F. Soil amendments for sustainable agriculture: Microbial organic fertilizers. *Soil Use and Management*. 2022;38(1):94-120.
23. Guo J, Wang B, Wang G, Wu Y, Cao F. Afforestation and agroforestry enhance soil nutrient status and carbon sequestration capacity in eastern China. *Land Degradation & Development*. 2020;31(3): 392-403.
24. Nijmeijer A, Lauri PÉ, Harmand JM, Saj S. Carbon dynamics in cocoa agroforestry systems in Central Cameroon: afforestation of savannah as a sequestration opportunity. *Agroforestry Systems*. 2019;93:851-868.
25. Kay S, Rega C, Moreno G, Den Herder M, Palma JH, Borek R, Herzog F. Agroforestry creates carbon sinks whilst enhancing the environment in agricultural landscapes in Europe. *Land Use Policy*. 2019;83:581-593.
26. Chapman M, Walker WS, Cook-Patton SC, Ellis PW, Farina M, Griscom BW, Baccini A. Large climate mitigation potential from adding trees to agricultural lands. *Global Change Biology*. 2020;26(8):4357-4365.
27. Lal R. Beyond Copenhagen: Mitigating climate change and achieving food security through soil carbon sequestration. *Food Security*. 2010;2(2):169-177.
28. Mahajan GR, Das B, Manivannan S, Manjunath BL, Verma RR, Desai S, Mulla H. Soil and water conservation measures improve soil carbon sequestration and soil quality under cashews. *International Journal of Sediment Research*. 2021; 36(2):190-206.
29. Parihar CM, Singh AK, Jat SL, Dey A, Nayak HS, Mandal BN, Yadav OP. Soil quality and carbon sequestration under conservation agriculture with balanced nutrition in intensive cereal-based system. *Soil and Tillage Research*. 2020; 202:104653.
30. Petrokofsky G, Kanamaru H, Achard F, Goetz SJ, Joosten H, Holmgren P, Wattenbach M. Comparison of methods for measuring and assessing carbon stocks

and carbon stock changes in terrestrial carbon pools. How do the accuracy and precision of current methods compare? A systematic review protocol. *Environmental Evidence*. 2012;1:1-21.

31. Conant RT, Ogle SM, Paul EA, Paustian K. Measuring and monitoring soil organic carbon stocks in agricultural lands for climate mitigation. *Frontiers in Ecology and the Environment*. 2011;9(3):169-173.

© 2023 Pandao et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:

<https://www.sdiarticle5.com/review-history/111272>