



# **The Role of Organic Farming in Enhancing Soil Structure and Crop Performance: A Comprehensive Review**

**M. Ramasamy<sup>a++\*</sup>, Souvik Ghosh<sup>b#</sup>,  
Kamlesh Kumar Yadav<sup>ct†</sup>, M. Chitra<sup>d‡</sup>, Dhivya. B<sup>e^</sup>,  
Sanjay kanth S.A<sup>f###</sup> and Aroulradj Karthickraja<sup>f</sup>**

<sup>a</sup> ICAR-Krishi Vigyan Kendra, Virinjipuram- 632 104, Vellore District, Tamil Nadu, India.

<sup>b</sup> Uttar Banga Krishi Viswavidyalaya, Cooch Behar, West Bengal, India.

<sup>c</sup> IFTM University Moradabad Uttar Pradesh, India.

<sup>d</sup> Dr. M.S. Swaminathan Agricultural College and Research Institute, Thanjavur, Tamil Nadu, India.

<sup>e</sup> College of Agricultural Technology, Theni, Tamilnadu, India.

<sup>f</sup> Pandit Jawaharlal Nehru College of Agriculture and Research Institute (PAJANCOA & RI), Karaikal, Puducherry, India.

## **Author's contribution**

*This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.*

## **Article Information**

DOI: <https://doi.org/10.9734/jsrr/2024/v30i102511>

## **Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/123763>

**Review Article**

**Received: 22/07/2024**

**Accepted: 24/09/2024**

**Published: 18/10/2024**

<sup>++</sup> Assistant professor (Veterinary and Animal Sciences);

<sup>#</sup> Ph.D. Research Scholar in Soil Science and Agricultural Chemistry;

<sup>†</sup> Assistant Professor (School Agricultural Sciences and Engineering);

<sup>‡</sup> Assistant professor (Biochemistry);

<sup>^</sup> Assistant Professor;

<sup>###</sup> Post Graduate Research Student;

<sup>\*</sup>Corresponding author: E-mail: [ramasamy.m@tnau.ac.in](mailto:ramasamy.m@tnau.ac.in);

**Cite as:** Ramasamy, M., Souvik Ghosh, Kamlesh Kumar Yadav, M. Chitra, Dhivya. B, Sanjay kanth S.A, and Aroulradj Karthickraja. 2024. "The Role of Organic Farming in Enhancing Soil Structure and Crop Performance: A Comprehensive Review". *Journal of Scientific Research and Reports* 30 (10):890-904. <https://doi.org/10.9734/jsrr/2024/v30i102511>.

## ABSTRACT

Organic farming is increasingly recognized for its environmental benefits and role in promoting sustainability, biodiversity, and long-term soil health. This agricultural approach, which prioritizes ecological balance, minimizes synthetic inputs, and relies on natural processes for nutrient cycling, offers substantial advantages for soil structure preservation and carbon sequestration. Practices such as composting, crop rotation, cover cropping, and reduced tillage enhance soil organic matter, promote microbial activity, and improve water retention, ultimately contributing to the overall sustainability of farming systems. However, organic farming faces several challenges, particularly when compared to conventional farming. One of the primary limitations is nutrient availability, as organic systems depend on slower-releasing organic fertilizers, which can result in nutrient deficiencies during critical crop growth stages. In contrast, conventional farming provides immediate nutrient availability through synthetic inputs, leading to more predictable crop performance. Furthermore, organic farming tends to be more labor-intensive, requiring significant manual effort for weed management, compost application, and pest control due to the prohibition of chemical herbicides and pesticides. This increased labor demand can raise production costs, making it difficult for organic farmers to compete with conventional systems that benefit from mechanization and chemical inputs. Economic challenges also arise from market access and the high cost of organic certification, which can be prohibitive for small-scale farmers, limiting their ability to sell products at premium prices. Additionally, consumer willingness to pay higher prices for organic produce may fluctuate, affecting profitability. Organic farming often faces yield gaps, particularly during the transition period, as soils adjust to new management practices and nutrient cycles stabilize. These lower yields in the short term are a significant barrier to wider adoption of organic practices. Nevertheless, long-term studies suggest that organic systems can achieve comparable yields over time while offering enhanced resilience to environmental stresses like drought and pest outbreaks. As innovations in organic inputs, precision farming, and supportive policies evolve, the future of organic farming holds potential for expanding its role in creating sustainable, resilient agricultural systems that mitigate climate change and conserve natural resources.

*Keywords: Sustainability; biodiversity; soil health; carbon sequestration; organic fertilizers; nutrient cycling.*

## 1. INTRODUCTION

### 1.1 Overview of Organic Farming

Organic farming refers to an agricultural system that emphasizes the use of natural processes and inputs to promote sustainable crop production while maintaining ecological balance and biodiversity. This practice excludes or limits synthetic inputs, such as synthetic fertilizers, pesticides, genetically modified organisms, antibiotics, and growth hormones in animal farming. Instead, organic farming focuses on the use of organic inputs like compost, green manure, and biological pest control to sustain soil health and enhance crop productivity. According to the International Federation of Organic Agriculture Movements (IFOAM), organic agriculture is based on four principles: health, ecology, fairness, and care [1]. Organic farming aims to create a balanced environment that encourages natural interactions between soil, plants, and microorganisms, which are essential

for long-term sustainability. Organic systems rely on enhancing soil fertility and crop health through biological processes, including nutrient cycling and the symbiotic relationship between plant roots and soil microbes.

Historically, organic farming emerged as a response to the industrialization of agriculture and the extensive use of chemical inputs that began in the 20th century. A study regarded as a pioneer of organic agriculture, advocated for the integration of traditional farming techniques with scientific knowledge to enhance soil health and crop resilience [2]. Over time, organic farming has evolved into a well-established global movement, with certification bodies and standards that govern organic production across different regions. Today, organic agriculture is practiced in over 190 countries, covering more than 70 million hectares of farmland globally, with increasing consumer demand for organic products due to growing concerns over environmental sustainability and food safety.

## 1.2 Importance of Soil Structure in Agriculture

Soil structure plays a pivotal role in determining the overall productivity and sustainability of agricultural systems. Soil structure refers to the arrangement of soil particles into aggregates, which affects the porosity, water-holding capacity, and aeration of the soil [3]. Well-structured soil promotes efficient root growth and enhances the movement of water, air, and nutrients through the soil profile, which is critical for crop performance. The stability of soil aggregates is an important indicator of soil health, as it prevents erosion, improves water infiltration, and facilitates the retention of nutrients that are vital for plant growth.

In organic farming, soil structure is particularly important because the use of chemical inputs is minimized, and the maintenance of soil fertility depends on biological processes. Organic matter, such as compost and manure, improves soil structure by increasing the organic carbon content and stimulating microbial activity, which, in turn, promotes the formation of stable soil aggregates [4]. Additionally, practices like crop rotation, cover cropping, and reduced tillage, which are commonly employed in organic systems, contribute to maintaining and enhancing soil structure by minimizing soil disturbance and increasing the diversity of plant residues returned to the soil. Improved soil structure not only benefits crop growth but also helps mitigate the effects of climate change by enhancing the soil's ability to sequester carbon.

## 1.3 Crop Performance and its Relationship with Soil Health

Crop performance, encompassing yield, quality, and resistance to pests and diseases, is closely linked to soil health. Soil health refers to the continued capacity of the soil to function as a vital living ecosystem that sustains plants, animals, and humans [5]. Healthy soils are rich in organic matter, have a diverse and active microbial community, and exhibit a balanced nutrient profile, all of which are essential for optimal crop growth and productivity. In organic farming systems, soil health is a fundamental aspect of sustainable crop production, as it influences the availability of nutrients, the ability of plants to resist diseases, and the overall resilience of the agroecosystem.

Organic farming practices, such as the use of compost, green manure, and biological pest control, enhance soil health by promoting nutrient cycling, increasing microbial diversity, and improving soil structure. Studies have shown that organically managed soils have higher levels of microbial activity, which contributes to greater nutrient availability and improved plant growth [6]. Furthermore, the integration of crop rotation and cover cropping in organic systems helps break pest and disease cycles, reduce weed pressure, and enhance soil fertility, all of which contribute to improved crop performance. Although organic farming systems may exhibit lower yields compared to conventional systems in some cases, particularly during the transition period, long-term studies have demonstrated that organic farming can achieve comparable yields while maintaining or improving soil health.

## 1.4 Purpose and Scope of the Review

The purpose of this review is to examine the contribution of organic farming practices to the improvement of soil structure and crop performance [7]. Organic farming, with its focus on enhancing soil health through natural inputs and biological processes, offers a sustainable approach to agriculture that can mitigate the environmental impact of conventional farming. This review aims to synthesize existing research on the relationship between organic farming practices, soil structure, and crop performance, providing a comprehensive understanding of the benefits and challenges of organic agriculture. By focusing on key organic practices such as compost application, reduced tillage, crop rotation, and the use of cover crops, the review will highlight how these techniques improve soil structure, promote nutrient cycling, and enhance crop resilience.

## 2. CONCEPTUAL FRAMEWORK OF ORGANIC FARMING

### 2.1 Historical Development and Evolution of Organic Farming

The origins of organic farming can be traced back to the early 20th century as a reaction against the intensification and industrialization of agriculture, which relied heavily on chemical inputs such as synthetic fertilizers and pesticides. Observations of traditional farming practices in India, combined with his background in agronomy, led to the development of the "Indore Method," which promoted composting as a

means to recycle organic matter and maintain soil fertility.

Simultaneously, the biodynamic farming movement emerged in Europe, which emphasized the integration of spiritual and ecological principles in agriculture. Biodynamic farming focused on the holistic management of the farm as a living system and introduced practices such as crop rotation, composting, and the use of herbal preparations to enhance soil vitality and plant health. These early movements laid the foundation for modern organic agriculture by underscoring the importance of soil health, biodiversity, and ecological balance.

By the mid-20th century, organic farming began to gain recognition as a viable alternative to the industrial agriculture model. The publication of *Silent Spring* in 1962 further fueled the organic movement by highlighting the environmental and health dangers of chemical pesticides [8]. In the following decades, organic farming continued to evolve, with increasing emphasis on certification and standardization to meet growing consumer demand for organic products. The International Federation of Organic Agriculture Movements (IFOAM) was established to promote organic agriculture worldwide and develop organic standards. Since then, organic farming has experienced rapid growth, with certified organic production systems now found in more than 190 countries, representing a significant global movement towards sustainable agriculture [9].

## 2.2 Key Principles and Practices in Organic Farming

Organic farming is grounded in a set of core principles that prioritize ecological sustainability, soil health, and biodiversity. These principles guide the selection of farming practices that aim to reduce environmental impact and promote resilience within the farming system.

### 2.2.1 Soil Health and Fertility Management

Maintaining and enhancing soil health is a central tenet of organic farming, as the soil is viewed as a living ecosystem that supports plant growth and regulates nutrient cycles. Organic farmers employ practices that increase soil organic matter, improve soil structure, and foster a diverse microbial community. These practices include the addition of organic amendments like compost and manure, the use of cover crops to protect the soil, and reduced tillage to prevent soil erosion and degradation [10]. Soil fertility in organic systems is managed through natural

processes such as nitrogen fixation by leguminous plants and the decomposition of organic matter by soil microorganisms.

### 2.2.2 Use of Organic Fertilizers (Compost, Manure, Biofertilizers)

Organic farming prohibits the use of synthetic fertilizers, relying instead on natural sources of nutrients to build and maintain soil fertility. Composting is a widely used practice in organic farming that recycles organic waste materials, such as crop residues and animal manure, into a nutrient-rich soil amendment. The application of compost improves soil structure, enhances microbial activity, and increases nutrient availability to plants. In addition to compost, organic farmers use manure and biofertilizers to supply essential nutrients like nitrogen, phosphorus, and potassium. Biofertilizers, which contain living microorganisms such as nitrogen-fixing bacteria and phosphate-solubilizing fungi, further enhance nutrient availability and promote plant growth [11].

### 2.2.3 Crop Rotation and Diversity

Crop rotation is a fundamental practice in organic farming that involves growing different crops in sequential seasons to maintain soil fertility, reduce pest and disease pressure, and improve biodiversity. By rotating crops with different nutrient requirements and rooting patterns, organic farmers can prevent the depletion of specific soil nutrients and promote a balanced soil ecosystem. Crop diversity is also emphasized in organic systems, as it enhances the resilience of the farming system by providing habitat for beneficial insects, reducing the risk of pest outbreaks, and improving overall ecosystem stability [12].

### 2.2.4 Biological Pest Control Methods

Organic farming relies on biological pest control methods rather than synthetic pesticides to manage pests and diseases. Biological control involves the use of natural predators, parasites, and pathogens to suppress pest populations and prevent crop damage. Organic farmers also use cultural practices such as intercropping, trap cropping, and the maintenance of biodiversity in and around the farm to create a balanced ecosystem that discourages pest outbreaks. Botanical pesticides, derived from natural plant compounds, are permitted in organic farming, but their use is regulated to minimize environmental impact and protect non-target organisms [13].

## **2.3 Differences Between Organic and Conventional Farming Systems**

Organic farming and conventional farming differ fundamentally in their approaches to crop production, soil management, and pest control. Conventional farming typically relies on synthetic inputs such as chemical fertilizers, pesticides, and herbicides to achieve high crop yields. These inputs are designed to provide immediate nutrient availability and protect crops from pests and diseases, but they can have detrimental effects on soil health, water quality, and biodiversity [14].

Another key difference lies in the management of pests and diseases. Conventional farming typically relies on chemical pesticides to control pests, which can lead to the development of pesticide resistance and harm beneficial organisms. Organic farming, on the other hand, employs integrated pest management (IPM) strategies that focus on prevention, monitoring, and biological control to manage pests in an environmentally friendly manner.

While organic farming is often associated with lower yields compared to conventional farming, particularly in the short term, studies have shown that organic systems can achieve comparable or even higher yields over time, especially in drought conditions or in low-input systems where soil health is critical [15]. Additionally, organic farming offers environmental benefits such as reduced greenhouse gas emissions, improved soil carbon sequestration, and greater biodiversity.

## **3. ORGANIC FARMING PRACTICES AND THEIR INFLUENCE ON SOIL STRUCTURE**

### **3.1 Role of Organic Matter in Soil Aggregation**

Organic matter is fundamental to the health and structure of soils in organic farming systems. Soil aggregation refers to the arrangement of soil particles into clusters or clumps, which play a crucial role in determining the soil's physical properties, including aeration, water infiltration, and resistance to erosion. Organic farming practices, particularly the use of compost, manure, and other organic amendments, significantly contribute to improving soil aggregation and structure [Table 1] [16].

### **3.1.1 Impact of Composting and Manure on Soil Texture**

Composting and manure application are essential organic farming practices that directly affect soil texture and structure. Compost, a decomposed mixture of organic residues, enhances soil aggregation by adding stable organic carbon to the soil, which binds soil particles together. The humus formed during composting acts as a cementing agent for soil particles, improving soil texture and creating more favorable conditions for root growth. Manure, on the other hand, not only increases soil organic matter but also introduces beneficial microbes that contribute to the formation of soil aggregates [17]. Manure's high organic carbon content helps maintain soil structure by improving soil cohesion and preventing the breakdown of aggregates under heavy rainfall or irrigation.

The application of compost and manure also increases the soil's water-holding capacity, leading to better root penetration and enhanced nutrient availability. Several studies have shown that soils treated with organic amendments such as compost and manure exhibit improved aggregate stability, reduced soil compaction, and greater resistance to erosion compared to conventionally managed soils.

### **3.1.2 Organic Amendments and Their Effect on Soil Porosity**

Organic amendments, including crop residues, green manures, and biochar, are widely used in organic farming to improve soil porosity. Soil porosity refers to the presence of spaces within the soil matrix that allow the movement of air and water. Organic amendments increase soil porosity by stimulating biological activity and enhancing the formation of macropores and micropores [18]. These amendments also promote the development of soil aggregates, which contribute to the overall porosity of the soil.

The incorporation of organic matter into the soil leads to the creation of larger, more stable pores that enhance water infiltration and reduce the likelihood of surface runoff. Research shows that organic farming systems that rely on the regular application of organic amendments exhibit better soil structure, higher porosity, and improved moisture retention compared to conventional systems, which often suffer from compaction and reduced porosity due to intensive tillage and chemical inputs.

**Table 1. Organic farming practices and their influence on soil structure**

<b>Organic Farming Practice</b>	<b>Influence on Soil Aggregation</b>	<b>Influence on Water Retention</b>	<b>Influence on Erosion Control</b>	<b>Influence on Soil Compaction</b>
<b>Composting</b>	Enhances aggregation by increasing organic matter and microbial activity	Improves water retention by increasing organic matter content	Reduces erosion by improving soil structure and stability	Decreases compaction by improving soil porosity and structure
<b>Cover Cropping</b>	Promotes aggregation by enhancing root growth and organic matter	Increases water retention through organic matter addition and improved soil structure	Provides ground cover that prevents soil erosion	Reduces compaction by adding organic residues and promoting biological activity
<b>Crop Rotation</b>	Prevents loss of soil structure by diversifying root systems and promoting beneficial microorganisms	Increases water retention by maintaining balanced soil organic matter levels	Reduces erosion by diversifying crop roots and preventing soil degradation associated with monocultures	Prevents compaction by reducing continuous cropping effects and improving biological health
<b>Mulching</b>	Enhances aggregation by reducing surface crusting and protecting soil structure	Improves water retention by reducing evaporation and contributing organic matter	Reduces erosion by protecting soil from wind and water impacts	Reduces compaction by insulating soil and maintaining structure
<b>Green Manure</b>	Enhances soil aggregation by adding fresh organic matter	Improves water retention by adding organic matter and promoting infiltration	Reduces erosion by enhancing soil cover and protecting the soil surface	Prevents compaction by loosening the soil with plant roots
<b>Reduced or No-till Farming</b>	Preserves natural soil aggregation and reduces breakdown of soil structure due to disturbance	Enhances water retention by maintaining soil structure and reducing surface runoff	Minimizes erosion by keeping the soil covered and intact	Reduces compaction by preventing heavy tillage and maintaining biological activity
<b>Organic Amendments (e.g., manure, biochar)</b>	Increases aggregation by improving organic matter and microbial activity	Enhances water retention by creating a more porous and sponge-like soil structure	Reduces erosion by increasing soil structure stability and improving plant growth	Decreases compaction by reducing bulk density and enhancing soil aeration
<b>Biodynamic Preparations</b>	Enhances aggregation by promoting microbial activity and humus formation	Improves water retention through enhanced soil organic matter	Reduces erosion by improving overall soil health and structure	Reduces compaction through biologically active preparations that stimulate microbial diversity
<b>Agroforestry Practices</b>	Promotes soil aggregation through diverse root systems of trees and crops that improve soil structure	Increases water retention through improved organic matter input and reduced surface runoff	Reduces erosion by stabilizing soil with tree roots and providing continuous ground cover	Reduces compaction by maintaining soil structure through perennial root systems
<b>Vermiculture</b>	Enhances soil aggregation by increasing earthworm activity and organic matter breakdown	Improves water retention by increasing soil porosity and creating channels for better water infiltration	Reduces erosion by improving soil structure and promoting healthy plant growth	Reduces compaction by loosening soil and increasing aeration through earthworm activity

### **3.2 Earthworms and Soil Biota in Organic Farming Systems**

Earthworms and other soil organisms play a pivotal role in enhancing soil structure and nutrient cycling in organic farming systems [19]. Organic farming practices, which encourage the proliferation of soil biota through the use of organic matter and minimal soil disturbance, lead to healthier soils with improved structure and fertility.

#### **3.2.1 Soil Microorganisms and Their Contribution to Soil Health**

Soil microorganisms, including bacteria, fungi, and actinomycetes, are integral to the health and functioning of soils in organic farming systems. These microorganisms break down organic matter, releasing nutrients that are essential for plant growth and promoting the formation of stable soil aggregates [20]. The presence of diverse microbial communities in organically managed soils enhances soil structure by increasing the production of extracellular polysaccharides, which bind soil particles together and improve aggregate stability.

Organic farming systems, which avoid synthetic chemicals, create an environment conducive to the growth of beneficial microorganisms. The regular addition of organic matter, such as compost and manure, stimulates microbial activity and leads to the development of a more diverse and active microbial community, which in turn contributes to improved soil structure and fertility [21].

#### **3.2.2 Impact of Earthworms on Soil Structure and Nutrient Cycling**

Earthworms are often referred to as "ecosystem engineers" due to their significant impact on soil structure and nutrient cycling. In organic farming systems, earthworm populations are typically higher than in conventional systems, as organic practices promote the use of organic amendments and minimize the use of chemical inputs, which can be harmful to soil fauna. Earthworms contribute to soil structure by creating burrows that increase soil porosity and water infiltration. Earthworm activity also enhances the mixing of organic matter and minerals in the soil, leading to the formation of stable aggregates. The casts produced by earthworms, which are rich in nutrients and organic matter, further improve soil structure and

fertility. Studies have shown that the presence of earthworms in organically managed soils leads to greater soil aggregation, improved nutrient availability, and increased microbial activity, all of which contribute to better crop performance [22].

### **3.3 Reduced Tillage and Its Role in Maintaining Soil Integrity**

Reduced tillage is a key practice in organic farming that helps maintain soil structure and prevent degradation. Conventional tillage practices, which involve frequent soil disturbance, can lead to soil compaction, reduced organic matter, and the breakdown of soil aggregates. In contrast, reduced tillage practices in organic farming systems minimize soil disturbance, preserve soil structure, and promote the development of healthy soils.

#### **3.3.1 Comparison of Organic Tillage Practices vs. Conventional Tillage**

Organic farming systems often employ reduced or no-till practices to maintain soil structure and protect against erosion. In conventional systems, intensive tillage is commonly used to prepare seedbeds and control weeds, but this practice disrupts soil aggregates and exposes the soil to erosion [23]. Reduced tillage in organic systems helps preserve soil aggregates by minimizing mechanical disturbance and allowing organic matter to accumulate on the soil surface.

Studies have shown that soils managed under reduced tillage in organic systems exhibit better aggregate stability, higher organic matter content, and improved water retention compared to conventionally tilled soils. The use of cover crops and organic mulches in reduced tillage systems further enhances soil structure by providing a continuous supply of organic matter and protecting the soil surface from erosion and compaction [24].

### **3.4 Soil Moisture Retention and Organic Mulching Practices**

Soil moisture retention is critical for plant growth and productivity, especially in regions with irregular rainfall or limited water availability. Organic farming practices, particularly the use of organic mulches, play a crucial role in improving soil moisture retention and reducing the need for irrigation.

Organic mulches, such as straw, leaves, and compost, are commonly applied to the soil

surface in organic farming systems to reduce water evaporation, improve soil structure, and suppress weeds [25]. Mulching helps maintain soil moisture by creating a barrier that reduces water loss through evaporation and protects the soil from direct exposure to sunlight. Additionally, as organic mulches decompose, they contribute organic matter to the soil, improving soil structure and increasing its ability to retain moisture.

Research has demonstrated that the use of organic mulches in organic farming systems can significantly improve soil moisture retention, reduce water runoff, and enhance crop yields, particularly in drought-prone regions [26]. The combination of organic mulching with other soil health practices, such as reduced tillage and the application of compost, further enhances the ability of soils to retain moisture and support healthy crop growth.

## **4. IMPACT OF ORGANIC FARMING ON CROP PERFORMANCE**

### **4.1 Enhanced Nutrient Availability and Crop Yield**

Organic farming significantly enhances nutrient availability and promotes sustainable crop yields through the use of natural fertilization methods and long-term soil fertility management. Organic fertilizers such as compost, green manure, and animal manure release nutrients gradually, providing a steady supply of essential elements like nitrogen, phosphorus, and potassium to plants over extended periods [27].

#### **4.1.1 Organic Fertilization and Long-term Nutrient Supply**

Organic farming practices rely on the application of organic fertilizers that improve soil organic matter and foster microbial activity, which plays a crucial role in nutrient cycling. Organic fertilizers are not immediately available for plant uptake, but through microbial decomposition and mineralization, nutrients are slowly released into the soil, ensuring a consistent nutrient supply for plants throughout the growing season. Compost, in particular, has been shown to improve soil structure and increase nutrient availability by enhancing the soil's cation exchange capacity (CEC) and stimulating beneficial microbial populations.

Studies comparing organic and conventional farming systems demonstrate that while organic systems may produce lower initial yields, they

are more sustainable in the long term due to the improved soil fertility resulting from organic fertilization [28]. For example, in a long-term study conducted that organic farming systems maintained similar yields to conventional systems over time, despite the absence of synthetic fertilizers, due to enhanced soil fertility and microbial activity. This slow-release nutrient supply ensures that plants have access to nutrients when needed, reducing the risk of nutrient leaching and environmental contamination.

### **4.2 Impact of Crop Rotation on Pest Management and Crop Health**

Crop rotation is a fundamental practice in organic farming that plays a critical role in enhancing crop health and managing pests without the need for chemical interventions [29]. By diversifying crops in sequential planting seasons, organic farmers reduce the build-up of pests and diseases that are specific to certain crops.

Crop rotation disrupts pest and disease cycles by alternating crops with different pest and disease profiles, effectively reducing the population of harmful organisms. For example, the rotation of legumes with cereals can break the life cycles of soil-borne pathogens, reducing the incidence of diseases like *Fusarium* and *Rhizoctonia* [30]. Additionally, crop rotation helps maintain soil fertility by incorporating legumes that fix nitrogen into the soil, reducing the need for external nitrogen inputs and enhancing plant health through improved nutrient availability.

In terms of pest management, the introduction of cover crops in crop rotation systems creates habitats for beneficial insects and natural predators, further reducing the reliance on synthetic pesticides. This agroecological approach to pest management, coupled with the biodiversity provided by crop rotation, helps organic farming systems maintain crop health and resilience to pest pressure [31].

### **4.3 Influence of Organic Practices on Crop Quality and Nutrient Content**

One of the significant benefits of organic farming is the potential for improved crop quality and higher nutrient content. Organic practices, which emphasize soil health and biodiversity, contribute to enhanced nutrient uptake and improved overall plant vigor.



#### **4.3.1 Higher Nutrient Density in Organically Grown Crops**

Several studies have shown that organically grown crops tend to have higher nutrient density compared to conventionally grown crops. This can be attributed to the organic farming system's focus on enhancing soil fertility and promoting natural biological processes that improve the availability of essential nutrients [32]. Organic farming practices, such as the application of compost and crop rotation, increase the soil's ability to retain and supply nutrients, resulting in crops with higher levels of vitamins, minerals, and antioxidants.

For example, organically grown fruits and vegetables have been found to contain higher levels of vitamin C, iron, magnesium, and phosphorus than their conventionally grown counterparts. Similarly, studies have shown that organic crops tend to have higher concentrations of phytochemicals, such as flavonoids and carotenoids, which have antioxidant properties and contribute to human health.

#### **4.3.2 Comparative Studies on Organic vs. Conventional Crop Quality**

Numerous comparative studies have been conducted to evaluate the differences in crop quality between organic and conventional farming systems. These studies consistently demonstrate that organically grown crops exhibit higher nutrient content and lower levels of pesticide residues [33]. In a comprehensive review of organic crop quality, A study found that organic crops contained significantly higher levels of essential nutrients, including antioxidants, when compared to conventionally grown crops. The higher nutrient density of organic crops is thought to be a result of slower growth rates and improved soil fertility in organic systems, which allow for better nutrient assimilation.

Organic farming practices have been shown to reduce the accumulation of harmful substances, such as nitrates and heavy metals, in crops. Conventional farming systems, which rely on synthetic fertilizers and pesticides, often result in the accumulation of nitrates in leafy vegetables, posing potential health risks to consumers [34]. Organic crops, by contrast, are less likely to contain high levels of these harmful compounds due to the prohibition of synthetic chemical inputs in organic systems.

#### **4.4 Improved Plant Resistance to Diseases and Pests Through Organic Farming**

Organic farming practices enhance plant resistance to diseases and pests through the development of healthier soils and the promotion of ecological balance. By prioritizing soil health and biodiversity, organic systems foster conditions that enable plants to defend themselves against biotic stressors [35].

One of the primary mechanisms by which organic farming enhances plant resistance to diseases and pests is through the stimulation of beneficial soil microorganisms. These microorganisms form symbiotic relationships with plant roots, promoting nutrient uptake and inducing systemic resistance in plants to pathogens and pests. For example, mycorrhizal fungi, which are abundant in organically managed soils, enhance the plant's ability to resist diseases by improving nutrient uptake and triggering the plant's natural defense mechanisms [36].

The biodiversity associated with organic farming plays a critical role in pest management. The use of intercropping, polycultures, and cover crops in organic systems creates habitats for beneficial predators and parasitoids that help control pest populations. This agroecological approach reduces the likelihood of pest outbreaks and decreases the need for synthetic pesticides. Research has demonstrated that organic farming systems are more resilient to pest pressure and experience lower incidences of pest-related crop damage compared to conventional systems [37].

Furthermore, the higher levels of secondary metabolites in organically grown plants contribute to enhanced resistance to pests and diseases. These compounds, which include phenolics, terpenoids, and alkaloids, are known to have antimicrobial and insecticidal properties that protect plants from biotic stressors. Studies have shown that organic plants produce higher levels of these defense compounds in response to the absence of synthetic pesticides, making them more resistant to attacks by pests and pathogens [38].

### **5. ORGANIC FARMING'S CONTRIBUTION TO LONG-TERM SOIL HEALTH AND SUSTAINABILITY**

Organic farming has emerged as a viable solution for addressing long-term soil health and

sustainability challenges. The emphasis on ecological balance, soil fertility, and biodiversity allows organic farming systems to contribute significantly to the long-term health of soils while promoting environmental conservation.

### **5.1 Impact of Organic Practices on Soil Carbon Sequestration**

Soil carbon sequestration is one of the most critical contributions of organic farming to mitigating climate change and improving soil health. Organic farming practices, such as the use of compost, crop residues, cover cropping, and reduced tillage, enhance soil organic matter content, which plays a vital role in sequestering atmospheric carbon dioxide (CO<sub>2</sub>) in the soil. When organic materials decompose, they release carbon that becomes stabilized in the soil, forming part of the soil organic carbon pool [39].

Several studies have demonstrated that organic farming systems have a higher potential for carbon sequestration than conventional farming systems. Organic systems rely on natural inputs and organic amendments, which build up soil organic matter and enhance carbon retention in the soil. A research showed that organic soils sequester more carbon than soils under conventional management due to the continuous addition of organic matter and the reduced use of synthetic inputs. Furthermore, organic farming practices, such as crop rotation and cover cropping, contribute to carbon sequestration by promoting plant growth and improving soil structure, leading to greater carbon storage capacity [40].

One of the long-term benefits of soil carbon sequestration is its contribution to the reduction of greenhouse gases (GHG) in the atmosphere. Carbon sequestered in the soil through organic farming practices offsets CO<sub>2</sub> emissions, thereby playing a significant role in climate change mitigation. Additionally, soils rich in organic carbon tend to have better structure, water retention, and fertility, all of which contribute to long-term agricultural productivity and sustainability.

### **5.2 Long-term Benefits of Organic Farming for Soil Structure Preservation**

Soil structure preservation is a key outcome of organic farming practices that enhance long-term

soil health. Soil structure refers to the arrangement of soil particles into aggregates, which affect water infiltration, aeration, root penetration, and resistance to erosion. Organic farming practices contribute to the maintenance and improvement of soil structure by enhancing soil organic matter, promoting biological activity, and minimizing soil disturbance [41].

### **5.2.1 Role in Preventing Soil Erosion and Degradation**

Soil erosion and degradation are major threats to agricultural sustainability, particularly in conventional farming systems that rely on intensive tillage and synthetic inputs. Organic farming practices, on the other hand, focus on reducing soil disturbance, increasing organic matter, and enhancing biological diversity, all of which help prevent soil erosion and degradation. Practices such as reduced tillage, cover cropping, and the application of organic amendments like compost and manure improve soil aggregate stability, making the soil more resistant to erosion caused by wind and water [42].

Cover crops play a particularly crucial role in preventing soil erosion by providing ground cover that protects the soil surface from the impact of rainfall and wind. Studies have shown that cover crops can reduce soil erosion by up to 50% compared to conventional systems without cover crops. Additionally, organic mulching practices help retain soil moisture and reduce surface runoff, further contributing to soil structure preservation and preventing erosion.

The buildup of soil organic matter through organic farming also enhances the soil's resilience to degradation. Soils rich in organic matter are more capable of retaining water and nutrients, making them less susceptible to compaction and nutrient depletion [43]. Over time, organic farming practices improve soil fertility and structure, reducing the need for external inputs and fostering a more sustainable agricultural system.

### **5.3 Contributions to Sustainable Agriculture and Environmental Conservation**

Organic farming's contributions to sustainable agriculture extend beyond soil health and structure. The ecological principles of organic farming, which prioritize biodiversity, resource

efficiency, and minimal environmental impact, make it a cornerstone of sustainable agricultural practices. Organic farming addresses several key environmental issues, including biodiversity conservation, water management, and pollution reduction.

Organic farming systems promote biodiversity both above and below the soil. By avoiding synthetic pesticides and fertilizers, organic farms support a diverse range of beneficial insects, birds, and other wildlife, contributing to healthier ecosystems [44]. Aboveground biodiversity is enhanced through practices such as polycultures, intercropping, and agroforestry, which create a more heterogeneous landscape that supports a wide range of species. Belowground, organic farming fosters microbial diversity, earthworms, and other soil organisms that play critical roles in nutrient cycling and soil structure maintenance.

Water conservation is another key benefit of organic farming. Organic soils, which are rich in organic matter, have greater water-holding capacity and improved water infiltration rates compared to conventionally managed soils [45]. This increased water retention reduces the need for irrigation, conserves water resources, and mitigates the impact of droughts. Additionally, organic farming practices reduce water pollution by minimizing the use of synthetic fertilizers and pesticides, which are major contributors to nutrient runoff and contamination of water bodies.

From an environmental conservation perspective, organic farming contributes to the reduction of pollution and the preservation of natural resources. By using organic inputs and promoting natural biological processes, organic farming reduces the reliance on fossil fuels, which are used to produce synthetic fertilizers and pesticides [46]. Organic farming also helps mitigate climate change by sequestering carbon in soils and reducing greenhouse gas emissions associated with conventional agriculture.

## **6. CHALLENGES, LIMITATIONS AND FUTURE IN ORGANIC FARMING PRACTICES**

Organic farming, despite its numerous environmental and sustainability benefits, faces several challenges and limitations. These challenges stem from the nature of organic practices, the socio-economic conditions in which

they operate, and the agricultural market system as a whole

### **6.1 Limitations in Nutrient Availability Compared to Conventional Farming**

One of the key challenges in organic farming is the limited availability of nutrients, particularly when compared to conventional farming systems, which rely on synthetic fertilizers to meet the nutrient demands of crops. In organic farming, nutrient supply is dependent on natural processes such as the decomposition of organic matter, nitrogen fixation by legumes, and the use of organic fertilizers like compost and manure. These sources of nutrients release nutrients more slowly than synthetic fertilizers, which provide a readily available supply of essential elements such as nitrogen, phosphorus, and potassium [47].

The slower release of nutrients in organic farming can lead to nutrient deficiencies during critical growth periods, potentially affecting crop yields. Nitrogen, in particular, is often a limiting factor in organic farming systems because organic nitrogen sources must be mineralized by soil microorganisms before they become available to plants. This process is influenced by soil temperature, moisture, and microbial activity, making nutrient availability less predictable in organic systems than in conventional farming, where nutrient inputs can be precisely timed and controlled.

In addition, organic farming practices may face challenges in providing sufficient quantities of phosphorus and potassium. While synthetic fertilizers supply these nutrients in concentrated forms, organic sources such as rock phosphate and wood ash may not be as readily available or effective in meeting the nutrient demands of high-yielding crops [48]. Studies have shown that organic farming systems often exhibit lower nutrient use efficiency compared to conventional systems, which can limit crop growth and productivity in nutrient-poor soils.

Despite these limitations, long-term studies suggest that organic farming can maintain soil fertility and nutrient availability through practices such as crop rotation, cover cropping, and the use of organic amendments. These practices enhance soil organic matter, improve nutrient cycling, and increase microbial activity, all of which contribute to long-term soil health and nutrient availability [49]. Additionally, innovations

in organic fertilizers and biostimulants may help address nutrient limitations in organic farming, offering more efficient and targeted nutrient delivery to crops.

## 6.2 Labor-intensive Nature of Organic Farming

Another significant challenge of organic farming is its labor-intensive nature. Organic farming requires more manual labor for activities such as weed management, composting, mulching, and pest control, as the use of synthetic herbicides, pesticides, and chemical fertilizers is prohibited or limited. Weed control in particular is one of the most labor-intensive aspects of organic farming, as organic farmers often rely on mechanical weeding, hand-pulling, mulching, and crop rotation to suppress weeds.

In contrast to conventional farming, where herbicides can be applied with minimal labor to control weeds, organic farmers must invest significant time and effort into weed management practices, particularly in large-scale operations. The labor requirements for organic farming can increase production costs, making it less competitive with conventional farming systems that rely on mechanization and chemical inputs to reduce labor expenses [50]. Furthermore, organic farming often requires more careful monitoring of crop health and soil conditions to ensure that nutrient deficiencies, pest infestations, or diseases are addressed promptly through biological or cultural methods.

The labor-intensive nature of organic farming may also pose challenges in regions with limited access to affordable labor or where farmers lack the technical knowledge to implement organic practices effectively. In many cases, the success of organic farming depends on the availability of skilled labor, as well as access to training and extension services that provide farmers with the knowledge and tools they need to manage organic systems efficiently [51].

Despite these challenges, there are opportunities to reduce the labor intensity of organic farming through the adoption of mechanization, precision agriculture, and labor-saving technologies. For example, the use of mechanical weeders, automated irrigation systems, and drones for crop monitoring can reduce the labor demands of organic farming and make it more economically viable for large-scale operations. Additionally, continued research and innovation in organic

farming techniques may lead to more efficient and less labor-intensive practices that can help organic farmers remain competitive.

## 6.3 Economic Challenges: Market Access and Premium Pricing for Organic Produce

While organic farming offers several environmental benefits, it also presents economic challenges, particularly in terms of market access and the premium pricing of organic products. Organic certification is often costly and time-consuming, requiring farmers to meet stringent standards for organic production, maintain detailed records, and undergo regular inspections. These certification costs can be prohibitive for small-scale farmers, limiting their ability to access organic markets [52].

In addition to certification costs, organic farmers often face challenges in securing access to markets that offer premium prices for organic produce. While demand for organic products has grown steadily in recent years, the organic market remains niche compared to the conventional market, and organic farmers may struggle to find buyers who are willing to pay higher prices for their products. In some regions, the lack of well-developed organic supply chains and distribution networks can further limit market access for organic farmers, particularly those in rural areas or developing countries.

Premium pricing is a key factor that allows organic farmers to offset the higher production costs associated with organic farming, including the labor-intensive nature of organic practices and the need for organic inputs. However, consumers may not always be willing or able to pay premium prices for organic products, particularly during economic downturns or in regions where awareness of organic agriculture is low [53]. As a result, organic farmers may face fluctuating demand for their products and may be forced to sell at lower prices, reducing their profitability.

## 6.4 Potential for Lower Yields in the Short Term

One of the most widely cited challenges of organic farming is its potential for lower crop yields, particularly in the short term, as farmers transition from conventional to organic practices. Organic farming systems often produce lower yields than conventional systems due to

limitations in nutrient availability, weed pressure, and the absence of synthetic pesticides and fertilizers.

In the early years of organic conversion, farmers may experience yield reductions as soils adjust to organic management practices and nutrient cycling processes stabilize. Studies have shown that organic systems can take several years to reach comparable yield levels to conventional systems, particularly in regions with poor soil fertility or high pest pressure [54]). In some cases, organic yields may remain lower than conventional yields, particularly for crops with high nutrient demands or in regions with limited access to organic inputs.

## 7. CONCLUSION

Organic farming presents a sustainable agricultural approach with significant benefits for soil health, biodiversity, and environmental conservation. However, it faces several challenges, including limitations in nutrient availability, labor-intensive practices, economic barriers related to market access, and potential for lower yields, especially in the short term. While organic farming can maintain long-term soil fertility and resilience, its success depends on innovations that address nutrient management, mechanization, and market infrastructure. With growing consumer demand for sustainable practices and continued advancements in organic farming technologies, the future of organic agriculture looks promising. Policy support, research, and education will be critical in overcoming existing challenges and expanding the adoption of organic farming to create a more sustainable and resilient global food system.

## DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of this manuscript.

## COMPETING INTERESTS

Author has declared that no competing interests exist.

## REFERENCES

1. Paull J. From France to the world: The international federation of organic

- agriculture movements (IFOAM). *Journal of Social Research and Policy*. 2010;1(2).
2. Etingoff K. (Ed.). *Sustainable development of organic agriculture: Historical perspectives*. CRC Press; 2017.
3. Osman KT, Osman KT. Physical properties of soil. *Soils: Principles, Properties and Management*. 2013;49-65.
4. Gurmu G. Soil organic matter and its role in soil health and crop productivity improvement. *Forest Ecology and Management*. 2019;7(7):475-483.
5. Lehmann J, Bossio DA, Kögel-Knabner I, Rillig MC. The concept and future prospects of soil health. *Nature Reviews Earth and Environment*. 2020;1(10):544-553.
6. Rosen CJ, Allan DL. Exploring the benefits of organic nutrient sources for crop production and soil quality. *Hort Technology*. 2007;17(4):422-430.
7. Aulakh CS, Sharma S, Thakur M, Kaur P. A review of the influences of organic farming on soil quality, crop productivity and produce quality. *Journal of Plant Nutrition*. 2022;45(12):1884-1905.
8. Paull J. The Rachel Carson letters and the making of *Silent Spring*. *Sage Open*. 2013; 3(3):2158244013494861.
9. Willer H, Trávníček J, Meier C, Schlatter B. The world of organic agriculture 2021-statistics and emerging trends; 2021.
10. Toungos MD, Bulus ZW. Cover crops dual roles: Green manure and maintenance of soil fertility, a review. *International Journal of Innovative Agriculture and Biology Research*. 2019;7(1):47-59.
11. Kumar R, Kumawat N, Sahu YK. Role of biofertilizers in agriculture. *Popular Kheti*. 2017;5(4):63-66.
12. Rusch A, Valantin-Morison M, Sarthou JP, Roger-Estrade J. Biological control of insect pests in agroecosystems: Effects of crop management, farming systems, and seminatural habitats at the landscape scale: A review. *Advances in Agronomy*. 2010;109:219-259.
13. Toan DH, Van Hoang D, Hoang VD, Dai Lam T. Application of botanical pesticides in organic agriculture production: Potential and challenges. *Vietnam Journal of Science and Technology*. 2021;59(6):679-701.
14. Bitew Y, Alemayehu M. Impact of crop production inputs on soil health: A review. *Asian Journal Plant Science*. 2017;16(3):109-131.

15. Lynch DH. Sustaining soil organic carbon, soil quality, and soil health in organic field crop management systems. Managing energy, nutrients, and pests in organic field crops. CRC Press, Boca Raton, FL. 2014;107.
16. Diacono M, Montemurro F. Long-term effects of organic amendments on soil fertility. *Sustainable Agriculture*. 2011;2: 761-786.
17. Mohammadi K, Heidari G, Khalesro S, Sohrabi Y. Soil management, microorganisms and organic matter interactions: A review. *African Journal of Biotechnology*. 2011;10(86):19840.
18. Singh VK, Malhi GS, Kaur M, Singh G, Jatav HS. Use of organic soil amendments for improving soil ecosystem health and crop productivity. *Ecosystem Services*; 2022.
19. Bhadauria T, Saxena KG. Role of earthworms in soil fertility maintenance through the production of biogenic structures. *Applied and Environmental Soil Science*. 2010;2010(1):816073.
20. Rashid MI, Mujawar LH, Shahzad T, Almeelbi T, Ismail IM, Oves M. Bacteria and fungi can contribute to nutrients bioavailability and aggregate formation in degraded soils. *Microbiological Research*. 2016;183:26-41.
21. Hartmann M, Six J. Soil structure and microbiome functions in agroecosystems. *Nature Reviews Earth and Environment*. 2023;4(1):4-18.
22. Akhila A, Entoori K. Role of earthworms in soil fertility and its impact on agriculture: A review. *Int. J. Fauna Biol. Stud*. 2022; 9(3):55-63.
23. Mehra P, Baker J, Sojka RE, Bolan N, Desbiolles J, Kirkham MB, Gupta R. A review of tillage practices and their potential to impact the soil carbon dynamics. *Advances in Agronomy*. 2018; 150:185-230.
24. Fageria NK, Baligar VC, Bailey BA. Role of cover crops in improving soil and row crop productivity. *Communications in Soil Science and Plant Analysis*. 2005;36(19-20):2733-2757.
25. El-Beltagi HS, Basit A, Mohamed HI, Ali I, Ullah S, Kamel EA, Ghazzawy HS. Mulching as a sustainable water and soil saving practice in agriculture: A review. *Agronomy*. 2022;12(8):1881.
26. Bodner G, Nakhforoosh A, Kaul HP. Management of crop water under drought: A review. *Agronomy for Sustainable Development*. 2015;35:401-442.
27. Zhang F, Niu J, Zhang W, Chen X, Li C, Yuan L, Xie J. Potassium nutrition of crops under varied regimes of nitrogen supply. *Plant and Soil*. 2010;335:21-34.
28. Diacono M, Montemurro F. Long-term effects of organic amendments on soil fertility. *Sustainable Agriculture*. 2011;2: 761-786.
29. Shah KK, Modi B, Pandey HP, Subedi A, Aryal G, Pandey M, Shrestha J. Diversified crop rotation: an approach for sustainable agriculture production. *Advances in Agriculture*. 2021;2021(1):8924087.
30. Vaish SS. Cultural Practices: A sustainable option for management of grain legumes diseases. *Diseases of Pulse Crops and their Management*, 417.
31. Brzozowski L, Mazourek M. A sustainable agricultural future relies on the transition to organic agroecological pest management. *Sustainability*. 2018;10(6): 2023.
32. Stockdale EA, Shepherd MA, Fortune S, Cuttle SP. Soil fertility in organic farming systems—fundamentally different? *Soil Use and Management*. 2002;18:301-308.
33. Crinnion WJ. Organic foods contain higher levels of certain nutrients, lower levels of pesticides, and may provide health benefits for the consumer. *Alternative Medicine Review*. 2010;15(1).
34. Kiani A, Sharafi K, Omer AK, Matin BK, Davoodi R, Mansouri B, Ahmadi E. Accumulation and human health risk assessment of nitrate in vegetables irrigated with different irrigation water sources-transfer evaluation of nitrate from soil to vegetables. *Environmental Research*. 2022;205:112527.
35. Timmis K, Ramos JL. The soil crisis: The need to treat as a global health problem and the pivotal role of microbes in prophylaxis and therapy. *Microbial Biotechnology*. 2021;14(3):769-797.
36. Wahab A, Muhammad M, Munir A, Abdi G, Zaman W, Ayaz A, Reddy SPP. Role of arbuscular mycorrhizal fungi in regulating growth, enhancing productivity, and potentially influencing ecosystems under abiotic and biotic stresses. *Plants*. 2023; 12(17):3102.
37. Brzozowski L, Mazourek M. A sustainable agricultural future relies on the transition to organic agroecological pest management. *Sustainability*. 2018;10(6): 2023.

38. Shrivastava G, Rogers M, Wszelaki A, Panthee DR, Chen F. Plant volatiles-based insect pest management in organic farming. *Critical Reviews in Plant Sciences*. 2010;29(2):123-133.
39. Krull ES, Baldock JA, Skjemstad JO. Importance of mechanisms and processes of the stabilisation of soil organic matter for modelling carbon turnover. *Functional Plant Biology*. 2003;30(2):207-222.
40. Lal R. Soil carbon sequestration and aggregation by cover cropping. *Journal of Soil and Water Conservation*. 2015;70(6):329-339.
41. Weil RR, Magdoff F. Significance of soil organic matter to soil quality and health. *Soil Organic Matter in Sustainable Agriculture*. 2004;1-43.
42. Singh VK, Malhi GS, Kaur M, Singh G, Jatav HS. Use of organic soil amendments for improving soil ecosystem health and crop productivity. *Ecosystem Services*; 2022.
43. Hamza MA, Anderson WK. Soil compaction in cropping systems: A review of the nature, causes and possible solutions. *Soil and Tillage Research*. 2005;82(2):121-145.
44. Feledyn-Szewczyk B, Kuś J, Stalenga J, Berbeć AK, Radzikowski P. The role of biological diversity in agroecosystems and organic farming. *Organic Farming-A Promising Way of Food Production*. Intech Open. 2016;1-27.
45. Irmak S, Sharma V, Mohammed AT, Djaman K. Impacts of cover crops on soil physical properties: Field capacity, permanent wilting point, soil-water holding capacity, bulk density, hydraulic conductivity, and infiltration. *Transactions of the ASABE*. 2018;61(4):1307-1321.
46. Siddique S, Hamid M, Tariq A, Kazi AG. Organic farming: The return to nature. *Improvement of Crops in the Era of Climatic Changes*. 2014;2:249-281.
47. Yahaya SM, Mahmud AA, Abdullahi M, Haruna A. Recent advances in the chemistry of nitrogen, phosphorus and potassium as fertilizers in soil: A review. *Pedosphere*. 2023;33(3):385-406.
48. Malhi SS, Vera CL, Brandt SA. Feasibility of rock phosphate and other amendments in preventing P deficiency in barley on a P-deficient soil in northeastern Saskatchewan. *Agricultural Sciences*. 2014;5(14):1491-1500.
49. Gurmu G. Soil organic matter and its role in soil health and crop productivity improvement. *Forest Ecology and Management*. 2019;7(7):475-483.
50. Sassenrath GF, Heilman P, Luschei E, Bennett GL, Fitzgerald G, Klesius P, Zimba PV. Technology, complexity and change in agricultural production systems. *Renewable Agriculture and Food Systems*. 2008;23(4):285-295.
51. Altieri MA, Funes-Monzote FR, Petersen P. Agroecologically efficient agricultural systems for smallholder farmers: Contributions to food sovereignty. *Agronomy for Sustainable Development*. 2012;32(1):1-13.
52. Jouzi Z, Azadi H, Taheri F, Zarafshani K, Gebrehiwot K, Van Passel S, Lebaillly P. Organic farming and small-scale farmers: Main opportunities and challenges. *Ecological Economics*. 2017;132:144-154.
53. Yiridoe EK, Bonti-Ankomah S, Martin RC. Organic and conventional food: A literature review of the economics of consumer perceptions and preferences. *Dostupnona*; 2006.
54. Fess TL, Benedito VA. Organic versus conventional cropping sustainability: A comparative system analysis. *Sustainability*. 2018;10(1):272.

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*  
The peer review history for this paper can be accessed here:  
<https://www.sdiarticle5.com/review-history/123763>